

PREVENT. DIAGNOSE. TREAT. PEDIATRICS GUIDE



**CEFTRIAXONE
SODIUM INJECTABLES**



**OSOM®
INFLUENZA TEST**



GARDASIL®



**ONESTEP+
STREP A TEST STRIPS**



Join Our Community
Join Us on Facebook | Follow Us on Twitter
View Us on YouTube

facebook | twitter | YouTube

To Order: 1-800-P-SCHEIN (1-800-772-4346) 8am-9pm (et)

To Fax: 1-800-329-9109 24 Hours

www.henryschein.com/pediatrics





CLIA-waived BD Veritor™ System for Rapid Detection of Flu A+B

A rapid chromatographic immunoassay for use with symptomatic patients. This CLIA-waived kit is to be used with the BD Veritor System Reader to test nasal and nasopharyngeal swab samples that are freshly collected, processed and dispensed directly onto an assay test device.

- Proven performance vs. PCR
- Unique Adaptive Read Technology provides reproducibility you can count on
- Easy-to-read digital display eliminates subjective interpretation and delivers the "Trusted Answer"
- Convenient workflow with minimal hands-on time

#256055, BD Veritor™ System Reader
(992-0003).....ea

#256045, CLIA-waived BD Veritor™ System
Flu A+B Kit
(992-0002).....30 tests/pkg

CPT® Codes: Influenza A: 87804QW† / Influenza
B: 87804-59†; Using the Objective and Differentiated
Reader System: 87999†

**RSV test
now available
for use on
Veritor
Reader!**

**CALL
FOR
INFORMATION**
ON OUR 30-DAY
MONEY-BACK
GUARANTEE
READER
PROGRAM

*It will change
the way you view
rapid testing...*

- **Proven Performance vs PCR —**
PCR is currently the highest sensitivity standard available
- **Reproducibility You Can Count On —**
Unique Adaptive Read Technology helps reduce false-positive results



- **Results You Can Trust—**
Easy-to-read digital display eliminates subjective interpretation
- **Convenient Workflow—**
Testing requires minimal hands-on time

New
BD Veritor™ System

CLIA-waived for Rapid Detection of Flu A+B

Medical technology that captures the trusted answer




Helping all people
live healthy lives

www.bd.com/ds/veritorsystem

BD, BD Logo and Veritor are property of Becton, Dickinson and Company ©2011 BD

BD Diagnostics
7 Loveton Circle
Sparks, MD 21152-0999
www.bd.com/ds



don't be fooled...

Is it the common cold, the flu, or something else? An accurate diagnosis can be a challenge which is why a rapid influenza test that enables the early recognition of patients with influenza has many advantages*. The **OSOM® Influenza A&B Test** is affordable, fast, and objective. It can assist you in determining proper treatment and in helping to reduce overall healthcare costs... **awesome, yes OSOM®.**

For more information call 800 332 1042 or visit us at www.sekisuidiagnostics.com

© 2012 Sekisui Diagnostics, LLC. All rights reserved. OSOM® is a registered trademark of Sekisui Diagnostics, LLC.

*Theocharis, George, Vouloumanou, Evridiki et al. "Evaluation of a direct test for seasonal influenza in outpatients", *European Journal of Internal Medicine*, Vol.21 (2010) 434-438

osom



GET 4 KITS
FOR THE
PRICE OF 3!
AUG '12-JAN '13
osomflu.com



OSOM® Influenza A & B Tests

In vitro diagnostic test for the qualitative detection of influenza A and B antigens.

- Differentiates between influenza A and B
- Easy to read: 3 distinct lines
- Nasal swab specimens
- Room-temperature storage
- Moderately complex
- 2 extra test sticks included for external QC testing
- Less than 1 minute hands-on time; results in 10 minutes

#190

(106-3126).....27/box

CPT® Codes: Influenza A and B, 87804-59†



OSOM® Strep A Tests

- CLIA waived
- Easy-to-read 2-color results
- 96% sensitivity; 98% specificity
- Results in 5 minutes
- Room-temperature storage
- Includes positive and negative controls
- Includes 2 additional tests for external QC testing

#141

(224-7320)52/box

CPT® Code: 87880QW†



OSOM® Mono Tests

Simple in-office test for the detection of mononucleosis.

- CLIA waived for whole blood
- Easy to use
- Clinical studies included children 4 and up
- 100% sensitivity, 96% specificity
- Two-color results in 5 minutes
- Includes 2 additional tests for external QC testing

#145

(327-3297).....27/box

CPT® Code: 86308QW†



OSOM® Ultra Strep A Tests

Ultrasensitive strep A test with the ease of use and rapid results your busy practice needs. Studies show the sensitivity of OSOM Ultra Strep A test and the standard single-swab culture method are not statistically different.

- CLIA waived
- Easy to use
- Easy-to-read, 2-color results in minutes
- Room-temperature storage
- Includes positive and negative controls
- Includes 2 additional tests for external QC testing

#147

(392-7389)25/box

#149

(102-7617).....52/box

CPT® Code: 87880QW†





The #1 Rapid Flu Test Used in Physician Offices Nationwide*



NEW to the Portfolio!

Alere™ Influenza A & B Test

- Results in **10 minutes**
- Simple dipstick format
- Approved for nasal swab specimens
- Specificity A / B: **95.8% / 98.0%**
- Sensitivity A / B: **93.8% / 77.4%**

Order# 5120016 (25 Tests)



BinaxNOW® Influenza A & B Test

- Results in **15 minutes**
- Familiar card format
- Sample types: nasopharyngeal swab, nasal swab and nasal wash/aspirate specimens

Order# 153-9781 (22 Tests)

To learn more about **rapid detection** and **differentiation** of **Influenza A & B**, contact your local Henry Schein Representative.

*Data on file.

© 2012 Alere. All rights reserved. The Alere Logo, Alere and BinaxNOW are trademarks of the Alere group of companies. PN: 12000512-01 8/12



BinaxNOW® Influenza A & B Tests

Rapid test for identification and differentiation of influenza A and B, using specimen collected by nasal washes/aspirates, nasal swabs and nasopharyngeal swabs.

- CLIA waived
- Differentiates types A and B on the same card
- Easy to use: no additional reagents needed
- On-board extraction
- 15-minute results
- Same specimen can be used with BinaxNOW® RSV test

#416-022
(153-9781)22/box

#416-110
(348-7480)10/box

#416-080, Swab Controls for 10 Patients
(512-0001)20/pkg

Contains: 2 controls per box, 10 boxes per package.

CPT® Codes: Influenza A: 87804QW†; Influenza B: 87804-59†



Alere™ Influenza A & B Test

This test provides a simple, rapid method to aid in the differential diagnosis of influenza A & B using nasal swab specimens.

- CLIA Waived
- 10-minute results
- Sensitivity (A/B): 93.8%/77.4%
- Specificity (A/B): 95.8%/98%

#412-000, Influenza A & B Test
(512-0016)25/box

CPT® Codes: Influenza A: 87804QW†; Influenza B: 87804-59†



BinaxNOW® RSV Tests

- CLIA waived
- Easy to use: no additional reagents needed
- On-board extraction
- 15-minute results
- Built-in control to ensure accuracy
- Same specimen can be used with BinaxNOW Influenza A & B Test

#430-100, Test
(301-8899)10/box

#430-122, Test
(512-5059)22/box

#400-065, Nasopharyngeal Swabs
(512-5997)20/box

CPT Code: 87807QW†

Henry Schein DxRx Solutions

We're there when you need us— with our DxRx Solutions Hotline

Do you have questions regarding the diagnostic, pharmaceutical and vaccine items that you purchase from Henry Schein? Need help finding a CPT code, package insert, or looking for brand to generic comparisons?

The Henry Schein DxRx Solutions Hotline provides information on the following topics for diagnostics, pharmaceuticals and vaccines:

- Indications and usage as provided on a package insert
- Package inserts
- Brand to generic comparisons
- CPT codes and J codes†

†For informational purposes only. Source: Reimbursement Codes.com and/or www.cms.gov <http://www.cms.gov>. Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances. *For informational purposes only; does not constitute legal advice. Source: www.immunize.org



- CLIA Product Status
- Storage Requirements
- ACIP recommendations for vaccinations
- State Law requirements for school and day care entry*
- Latest updates on supply issues, and much more



1.800.PSCHEIN
www.henryschein.com/dxrxsolutions



DxRxSolutions™
DIAGNOSE • TREAT • PREVENT

1.877.523.SHOT 8:30am–5:00pm, est
1.877.523.7468
dxrxsolutions@henryschein.com



HENRY SCHEIN® ONESTEP+ STREP A TEST STRIPS

- CLIA waived
- Room-temperature storage
- Canister packaging for ease of multiple testing
- Walk-away procedure

(107-4050).....25/box

CPT® Code: 87880QW†

HENRY SCHEIN® ONESTEP+ MONO CASSETTE TEST

A rapid chromatographic-immunoassay for the qualitative detection of infectious mononucleosis in whole blood, serum, or plasma.

- CLIA waived
- Finger stick or collection tube
- Room-temperature storage
- Includes controls

**Complete Kit
(900-4070)**.....20/box

Contains: 20 pouched test devices with disposable sample droppers; disposable, heparinized capillary tubes with dispensing bulb; 1 of each control (positive & negative); 1 sample buffer; 1 procedure card & 1 package insert.

CPT® Code: 86308QW†



HENRY SCHEIN® ONE STEP PRO+ MONONUCLEOSIS TEST KIT

- CLIA waived for whole blood
- No age restrictions
- Measures heterophile antibodies in whole blood, serum and plasma
- Uses best technology of bovine derivatives, which eliminate cross reactivity
- Room temperature or refrigerated storage
- Two internal controls exist to avoid additional cost and ensure good laboratory practice
- Only 25 µL blood needed

**Mono Test Kit
(112-5547)**.....20/box

Contains: 20 test devices, 1 developer solution, 1 negative control, 1 positive control, 40 sample transfer pipettes (20 for serum/plasma & 20 for whole blood), 1 procedure card & 1 package insert.

CPT® Codes: 86308QW† (Whole Blood) / 86308† (Serum/Plasma)



To Order: **1.800.P.SCHEIN (1.800.772.4346)** 8am–9pm, et • To Fax: **1.800.329.9109** 24 Hrs

12MS7521

NEW!

Watson.

Levalbuterol Inhalation Solution, 3 mL

Compare to Xopenex®

0.01%, 0.31 mg
(118-8156)24/box

.021%, 0.63 mg
(118-8157)24/box

.042%, 1.25 mg
(118-8160)24/box

**COMPARE
& SAVE!**

SEPRACOR

Xopenex® Inhalation Solution

0.01%, 3 mL, 0.31 mg
(248-0562)24/box

3 mL, 0.021%, 0.63 mg
(248-0929)24/box

3 mL, 0.042%, 1.25 mg
(248-0083)24/box

DEY
A Mylan Company

AccuNeb Inhalation Solution, 3 mL

1.25 mg
(345-4029)25/pkg

Watson.

Albuterol Inhalation Solution, 0.042%

3 mL, 1.25 mg
(115-0307)25/pkg

Watson.

Albuterol Inhalation Solution, 0.63%

3 mL
(109-3443)25/pkg

**nephron
pharmaceuticals
corporation**

Albuterol Inhalation Solution, 0.042%

(116-4177)30/pkg

**nephron
pharmaceuticals
corporation**

Albuterol Inhalation Solution

0.083%, 3 mL

(116-1818)25/ctn

(116-1819)60/ctn

Bausch & Lomb

Albuterol Inhalation Solution

Sterile

0.50%, 20-mL Bottle
(115-4206)ea

TEVA

TEVA PHARMACEUTICALS

Budesonide Inhalation Suspension, 2 mL

Compare to Pulmicort® Respules

0.25 mg
(115-1227)30/pkg

0.5 mg
(116-3861)30/box

**COMPARE
& SAVE!**

AstraZeneca

Pulmicort® Inhalation Suspension, 2 mL

0.25 mg
(248-9076)30/box

AstraZeneca

Pulmicort Inhaler Suspension

0.5 mg/2 mL, 2 mL
(248-9124)30/box



Diphenhydramine Hydrochloride Injectable, USP

Compare to Benadryl®

50 mg/mL

• Latex-free

• AP rated

50 mg/mL, 10-mL MDV
(108-4899)ea

Nonreturnable



Diphenhydramine Injectable

Compare to Benadryl®

50 mg/mL, 1-mL SDV
(375-9452)25/box

DEY
A Mylan Company

DuoNeb Solution for Inhalation

3 mL, 0.5%/3.0%
(345-9864)30/ctn

Hospira

Epinephrine Injectable Ampules

Nonreturnable

1:1000, 1 mL
(258-9483)5/pkg



International Medication Systems, Limited
your partner in parenteral products

IMS

Epinephrine Injection

1:1000, 30-mL MDV
(118-7741)ea

Hospira

Epinephrine Ampules

1:1000
1 mg/mL, 1 mL
(104-7057)25/box

TEVA

TEVA PHARMACEUTICALS

Proair® Albuterol Inhaler

HFA Type, 8.5 g
(110-9527)ea

Baxter

Promethazine HCl Injectable

25 mg/mL, 1-mL SDV
(102-7248)25/box

**nephron
pharmaceuticals
corporation**

S-2 Racepinephrine Inhalation Solution

2.25%
(116-2121)30/pkg

gsk
GlaxoSmithKline

Ventolin HFA Inhaler

8 gm
(115-7099)ea



TEVA PHARMACEUTICALS

Amoxicillin Chew Tabs

250 mg
(111-9480)100/btl

Amoxicillin Oral Suspension

Compare to Amoxil®

125 mg, 150 mL
(321-1562)ea

Amoxicillin Suspension

Dye-free

125mg, 150-mL Bottle
(108-8744)ea

250 mg, 150-mL Bottle
(108-3549)ea

Amoxicillin Oral Suspension

Compare to Amoxil®

250 mg, 150-mL Bottle
(321-1662)ea



Amoxicillin Suspension

250 mg
(108-9886)100 mL/btl



Amoxicillin Suspension b.i.d.


400/5 mL
(114-6040)100 mL/btl



Azithromycin Tablets

Compare to Zithromax®

250 mg
(111-9131)18/box
Contains: 3 packages of 6 tablets.



Bicillin® C-R Injectable* Prefilled Syringes

Penicillin G Benzathine and Penicillin G Procaine, IM Suspension

Pediatric, 1"
900/300 U/mL, 2 mL
(321-6738)10/pkg

1,200,000 U/mL, 2 mL
(321-2437)10/pkg

Adult, 1½"
1,200,000 U/mL, 2 mL
(321-7671)10/pkg

*Tubex® Injector is not required.



Bicillin® L-A Injectable* Prefilled Syringes

Penicillin G Benzathine IM Suspension

Pediatric, 21 ga x 1"
600,000 U/mL, 1 mL
(321-6704)10/pkg

Adult, 21 ga x 1½"
1,200,000 U/mL, 2 mL
(321-7445)10/pkg

Adult, 18 ga x 1½"
2,400,000 U/mL, 4 mL
(321-1663)10/pkg

*Tubex injector is not required.



Ceftriaxone Sodium Injectables Compare to Rocephin®

250 mg, 6-mL SDV
(784-0052)10/box

500 mg, 6-mL SDV
(784-8231)10/box

1 g, 10-mL SDV
(784-6100)10/box

2 g, 10-mL SDV
(784-8917)10/box

Ciprofloxacin HCl Tablets

Compare to Cipro®

500 mg
(118-2006)100/btl

250 mg
(118-2007)100/btl



Lincocin® Injectable

300 mg/mL, 10-mL MDV
(908-7376)ea



Penicillin G Procaine Suspension Injectables

In Sterile Tubex Cartridges

600,000 U, 1-mL Vials
(607-5325)10/box

1,200,000 U/mL, 2-mL Vials
(607-2846)10/box

Rocephin® Injectable

500 mg, 6-mL Vial
(785-4176)10/box



Rocephin® Injectable

1 g, 10-mL Vial
(785-5630)10/box



Tamiflu® Capsules

Tamiflu is a prescription flu medicine that may help stop the flu from spreading inside the body and is clinically proven to help you get better 30% faster (1.3 days) when taken within 48 hours of first symptoms.

Nonreturnable
Capsules10/pkg

Specify:
30 mg.....(110-6826)
45 mg.....(110-7673)
75 mg.....(854-4855)

Tamiflu Oral Suspension

Nonreturnable
60 mL
(635-0172)ea

Advil® Children's Suspension

100 mg, 4-oz Bottle
(556-3818).....ea

Tylenol® Children's Suspension

3.8-oz Bottle, Grape
(395-0091).....ea

Aspirin Tablets-Children's Chewable

Compare to Bayer® Children's

81 mg 1¼gr
(120-0798).....36/btl

Bayer Aspirin-Children's Chewable

Orange
(734-6988).....36/btl

Cherry
(734-7065).....36/btl

Médique**Medikoff® Drops Sugar-Free UD**

Compare to Halls® Sugar-free

Menthol/eucalyptus vapor-action cough drops uniquely packaged in a "keepable" glass apothecary jar of 300 or 600 drops.

Regular Flavor
(151-8400).....300/box

Cherry
(151-1036).....600/box

Each drop contains: menthol, 6.1 mg.

Nice'n Clean Baby Wipes

Unscented
(113-4964).....40/box

Unscented
(602-5044).....80/box

Kimberly-Clark

Huggies Supreme Diapers Jumbo Pack

Step 1
(643-0071).....4 x 40/case

Step 3
(643-0152).....31/pkg

Balmex® Ointment

4-oz Tube
(104-8296).....ea

**Murine "earigate" Ear-Cleansing System**

Used regularly, this system helps prevent ear-wax buildup quickly, safely, and painlessly. The patented reverse-spray nozzle gently sprays natural-source sea water backwards out of the ear, cleansing the canal without pressure on the eardrum. 100% natural and hypoallergenic.

Child, 3.3 fl oz
(258-0001).....ea

**Benadryl****BENADRYL® Itch Stopping Cream and Spray**

Stops the itch at the source by blocking the histamine that causes itching. Contains a topical analgesic (diphenhydramine HCl) and a skin protectant (0.1% zinc acetate). Original Strength has 1% diphenhydramine HCl and Extra Strength has 2% diphenhydramine HCl.

Original Strength Cream, 1-oz Tube
(248-3490).....ea

Extra Strength Cream, 1-oz Tube
(644-8891).....ea

Extra Strength Topical Spray, 2-oz Pump
(699-4023).....ea

Pedialyte®

Oral Electrolyte Maintenance Solution, 32 fl oz Bottles

Using Pedialyte® at the first signs of diarrhea or vomiting can help reduce risk of dehydration. Beverages like soda and juices contain large amounts of sugar that can draw water into the intestines and away from the rest of the body, making the diarrhea worse and increasing the risk of dehydration.

Bubble Gum
(106-2046).....8/case

Grape
(859-7450).....8/case

Fruit
(162-9028).....8/case

**Triple Antibiotic Ointment**

Compare to Neosporin®

Helps prevent infection in minor cuts, scrapes, and burns. Provides 3-in-1 strength first-aid antibiotic properties. Packaged in convenient unit dose. Active ingredients: Bacitracin zinc, 400 units; neomycin sulfate, 5 mg (equivalent to 3.5 mg neomycin base); and polymyxin B sulfate, 500 units.

0.9-g Packets
(326-1327).....25/box

0.9-g Packets
(891-5295).....144/box

½-oz Tube
(408-0142).....ea

**Bacitracin Zinc Ointment**

0.9-g Foil Packs

This first-aid antibiotic ointment helps prevent infection in minor cuts, scrapes, and burns. Unit-dose pack provides quick, effective application without cross contamination. Contains: bacitracin zinc, 500 units.

(104-9124).....25/box

(104-5669).....144/box


**HENRY SCHEIN®**

Triple Antibiotic Ointment, USP
Compare to Active Ingredients in Neosporin®


Helps prevent infection in minor cuts and burns. Active ingredients: bacitracin zinc, 400 units; neomycin sulfate, 5 mg; and polymyxin B sulfate, 5000 units.

1-oz Tube
(900-4972).....ea

0.9-g Unit-Dose Packets
(900-4788).....144/box



GARDASIL®
[Human Papillomavirus Quadrivalent
(Types 6, 11, 16, and 18) Vaccine, Recombinant]



558-3890 0.5mL Single-Dose Vial
558-3149 10-Pack of 0.5mL Single-Dose Vials
558-7846 6 Pack of 0.5mL Luer Lok Prefilled Syringes

Call Today for Low Price!

Henry Schein is Your Source for All Meningitis Vaccines!



**The ACIP
now recommends
a booster dose at
16 years of age.**
Source: CDC.gov

*"The CDC recommends that
children 11–18 years of age receive
a meningococcal conjugate vaccine"*



Menveo®

Meningococcal (Groups A, C, Y and W-135) Oligosaccharide Diphtheria CRM197 Conjugate Vaccine Solution for Intramuscular Injection

(258-0092) 0.5 mL SDV 5/Pkg.

CPT Code: 90734

Do not freeze. Store refrigerated, away from the freezer compartment, at 36°F to 46°F (2°C to 8°C). Protect from light. Do not use after the expiration date.

sanofi pasteur

The vaccines business of sanofi-aventis Group

Menactra®

Meningococcal (Groups A, C, Y and W-135) Polysaccharide Diphtheria Toxoid Conjugate Vaccine

(546-5976) 0.5 mL SDV 5/Pkg.

CPT Code: 90734

Vaccine price includes FET.



sanofi pasteur

ActHIB®

Haemophilus b Conjugate (Tetanus Toxoid Conjugate) Vaccine, Thimerosal-Free

0.5-mL SDV with Diluent
(546-4250)5/pkg

CPT® Code: 90648†

Item stored under refrigeration. May be shipped separately.



sanofi pasteur

Adacel®

Tetanus Toxoid, Reduced Diphtheria Toxoid, and Acellular Pertussis Vaccine Adsorbed

0.5-mL SDV
(546-7789)10/pkg

0.5-mL Prefilled Syringe without Needle
(546-4958)5/pkg

CPT® Code: 90715†



gsk
GlaxoSmithKline

BOOSTRIX®

Tetanus Toxoid, Reduced Diphtheria, and Acellular Pertussis Adsorbed Vaccine

0.5-mL SDV
(254-6475)10/pkg

0.5-mL Tip-Lok® Prefilled Syringe
(254-0031)10/pkg

CPT® Code: 90715†



gsk
GlaxoSmithKline

Engerix-B®-Pediatric/Adolescent
Hepatitis B Recombinant Vaccine

10 µg, 0.5-mL SDV
(254-0632)10/pkg

10 µg, 0.5-mL Syringe

(254-0026)10/pkg

CPT® Code: 90744†

Item stored under refrigeration. May be shipped separately.



merck

RECOMBIVAX HB®-Pediatric/Adolescent

Hepatitis B Vaccine, Thimerosal-Free

5 µg/mL, 0.5-mL SDV
(558-6254)10/pkg

CPT® Code: 90744†

Item stored under refrigeration. May be shipped separately.

RECOMBIVAX HB® is a registered trademark of Merck & Co., Inc.

gsk
GlaxoSmithKline

HAVRIX®-Pediatric/Adolescent

Hepatitis A (Inactivated) Vaccine, Thimerosal-Free, 720 ELU/0.5 mL

Tip-Lok®, Latex-Free 0.5-mL Syringe
(254-0023)10/pkg

gsk
GlaxoSmithKline

HAVRIX®-Pediatric/Adolescent

Hepatitis A (Inactivated) Vaccine, Thimerosal-Free

720 ELU, 0.5-mL SDV
(254-0582)10/pkg

CPT® Code: 90633†



merck

VAQTA®-Pediatric/Adolescent

Hepatitis A (Inactivated) Vaccine, Thimerosal-Free, 25 U

0.5-mL SDV
(558-4255)10/pkg

0.5-mL Prefilled Luer-lock Syringe Without Safety Needle

(558-0014)6/pkg

CPT® Code: 90633†

All vaccines include Federal Excise Tax (FET).

VAQTA® is a registered trademark of Merck & Co., Inc.

merck

GARDASIL®

Human Papillomavirus (HPV) Quadrivalent (Types 6, 11, 16 and 18) Recombinant Vaccines

0.5-mL SDVs
(558-3890)ea
(558-3149)10/pkg

0.5-mL Prefilled Luer-Lock Syringe without Safety Needle

(558-7846)6/pkg

CPT® Code: 90649†

Gardasil® is a registered trademark of Merck & Co., Inc.



gsk
GlaxoSmithKline

INFANRIX®

Diphtheria and Tetanus Toxoids and Acellular Pertussis (DTaP) Vaccine (Adsorbed), Thimerosal-Free


0.5-mL SDV
(254-0020)10/pkg

0.5-mL Prefilled Syringe

(124-0010)10/pkg

CPT® Code: 90700†

Item stored under refrigeration. May be shipped separately.



gsk
GlaxoSmithKline

KINRIX™

Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed and Inactivated Poliovirus Vaccine

0.5-mL SDV
(254-4511)10/pkg

CPT Code: 90696†

Kinrix® is indicated for the 5th DTaP and 4th IPV dose in 4 to 6 year olds whose previous DTaP doses have been with Infanrix and/or Pediarix.





sanofi pasteur

IPOL®

Poliovirus (Salk) (Inactivated) Vaccine

5-mL, 10-Dose Vial

(546-7189)ea

CPT® Code: 90713†

Item stored under refrigeration. May be shipped separately. Nonreturnable product: No credit will be given for return of this product.

**M-M-R® II**

Measles, Mumps, and Rubella Vaccine

0.5-mL SDV with Diluent


(558-0110)10/pkg

CPT® Code: 90707†

Items stored under refrigeration. May be shipped separately.

All vaccines include Federal Excise Tax (FET).

M-M-R® II is a registered trademark of Merck & Co., Inc.



sanofi pasteur

Menactra®

Meningococcal Polysaccharide Diphtheria Toxoid Conjugate Vaccine (Groups A, C, Y, and W-135), Thimerosal-Free

0.5-mL SDV

(546-5976)5/pkg

CPT® Code: 90734†

**MENVEO®**

[Meningococcal (Groups A, C, Y and W-135) Oligosaccharide Diphtheria CRM197 Conjugate Vaccine] Solution for Intramuscular Injection

The CDC has updated its recommendations to include vaccination for meningococcal disease for all children 11 through 18 years of age. Source: menveo.com.

0.5-mL SDV

(258-0092)5/pkg

CPT® Code: 90734†

Do not freeze. Store refrigerated, away from the freezer compartment, at 36°F to 46°F (2°C to 8°C). Protect from light. Do not use after the expiration date.

**COMVAX®**

Haemophilus b Conjugate (Meningococcal Protein Conjugate) and Hepatitis B (Recombinant) Vaccine, Thimerosal-Free

0.5-mL SDV

(558-1743)10/pkg

CPT® Code: 90748†

Item shipped under refrigeration. May be shipped separately.

COMVAX® is a Registered Trademark of Merck & Co., Inc.

**Synagis®**

(Palivizumab) Liquid Solution Injectable

Cap P

50-mg SDV

(684-6695)ea

100-mg SDV

(684-3852)ea

CPT® Code: 90378†

**PedvaxHIB®**

Haemophilus b Conjugate (Meningococcal Protein Conjugate) Liquid Vaccine

0.5-mL SDV

(558-3778)10/pkg

CPT® Code: 90647†

Items stored under refrigeration. May be shipped separately.

All vaccines include Federal Excise Tax (FET).

PedvaxHIB® is a registered trademark of Merck & Co., Inc.

**Pneumovax 13®**

Pneumococcal 13-Valent Conjugate Vaccine (Diphtheria CRM197 Protein)

• CPT® Code: 90670†

• Store refrigerated at 2°C to 8°C

(36°F to 46°F)

• Do not freeze

• Discard if vaccine has been frozen

0.5-mL Prefilled Syringe

(546-0015)10/pkg**RotaTeq®**

Rotavirus Vaccine (Live), Oral, Pentavalent, 2-mL Single-Dose Tube

(558-8763)10/pkg**(558-0009)**25/pkg

CPT® Code: 90680†

RotaTeq® is a registered trademark of Merck & Co., Inc.



GlaxoSmithKline

PEDIARIX®

Diphtheria and Tetanus Toxoids and Acellular Pertussis (DTaP) (Adsorbed), Hepatitis B (Recombinant), and Inactivated Poliovirus Vaccine (Combined)

The first 5-in-1 vaccine to give protection against 5 serious diseases.

0.5-mL Tip-Lok® Prefilled Syringe

(254-0028)10/pkg

CPT® Code: 90723†

Item stored under refrigeration. May be shipped separately.

**VARIVAX®**

Varicella (Chicken Pox) Virus (Live) Vaccine, Thimerosal-Free, Lyophilized

0.5-mL SDVs

(558-1037)ea**(558-1592)**10/box

CPT® Code: 90716†

Item stored frozen. May be shipped separately.

Nonreturnable product: No credit will be given for any return of this product.

All vaccines include Federal Excise Tax (FET).

VARIVAX® is a registered trademark of Merck & Co., Inc.

The Rapid Oral Fluid HIV-1/2 Antibody Test



Linking People to Care



OraQuick Rapid Antibody Test
ADVANCE **HIV-1/2**

Simple

Rapid oral fluid antibody test
results in 20 minutes

Accurate

>99% sensitivity and specificity

Versatile

Test can integrate easily into
patient flow



OraSure Technologies
OOA0351 (rev. 09/12)
© 2012, 2011 OraSure
Technologies, Inc. OraQuick[®]
and OraQuick ADVANCE[®] are
registered trademarks of
OraSure Technologies, Inc.

For more information, contact your Henry Schein sales consultant at 1-800-772-4346



OraSure Technologies, Inc.



OraQuick[®] HIV Rapid Tests

- Rapid human immunodeficiency virus (HIV) types 1 and 2 (antibody test is a single-use, qualitative immunoassay)
- Detects antibodies to HIV
- Only rapid HIV test for use with specimens for oral fluids, venipuncture whole blood, fingerstick whole blood, and plasma
- CLIA waived for specimens for oral fluids, venipuncture whole blood, and fingerstick; whole blood only
- Simple, 2-step, oral-fluid procedure
- Reliable results in just 20 minutes
- Greater than 99% accuracy

#1001-0079, Test
(810-3221)25/box

#1001-0078, Test
(810-6864)100/box

CPT[®] Code: 86703†





SIEMENS

DCA™ Vantage Analyzer

Point-of-care immunoassay analyzer for diabetes management. Provides precise and accurate quantitative test results for HbA1c in whole blood during a patient's visit to help improve decision making. With a single urine sample, the analyzer also provides quantitative test results for low levels of albumin, creatinine, and A:C ratio in the physician's office or clinic.

#5075US, Analyzer
(110-0743).....ea

#5035C, HbA1c Reagent Kit
(147-8045).....10/pkg

#5068A, Hemoglobin Like Control Kit
(147-6067).....ea

Contains: 2 vials of ea control: high & low.

Microalbumin/Creatinine Reagent Kits
Detects and monitors microalbuminuria, an early indication of kidney disease. Achieve test results in just 7 minutes from a urine specimen, using the DCA™ Vantage Analyzer. Existing DCA analyzers may be updated with a new program card.

#6011A
(147-8917).....10/pkg
CPT® Codes: 83036QW†/82043†/82570†

SIEMENS

Uristix® 4 Reagent Strips

Test for glucose, protein, nitrite, and leukocytes in urine.

#2166
(147-4912).....100/btl
CPT® Codes: Urinalysis 81000†/81002†



SIEMENS

Uristix®

Test for glucose and protein in urine.

#2184
(147-9199).....100/btl



SIEMENS

CLINITEK® Microalbumin Test Strips

- CLIA waived on CT status analyzer
- Dip-and-read test for albumin and creatinine in urine
- Determines an A:C ratio for greatest accuracy
- Use a random urine sample—reduces need for a 24-hour collection
- Timeframe: 60 seconds

#2083
(147-4712).....25/btl
CPT® Codes: 82044†/82570†



SIEMENS

Multistix® 10 SG Reagent Strips

Test for glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen, nitrite, and leukocytes in urine.

#2161
(147-5913).....100/box
CPT® Codes: 81000†/81001†/81002†/81003†



SIEMENS

Multistix® 10LS Pro Reagent Strips

- Creatinine ratio to correct for varying urine concentrations
- Decreases false positive protein and false negative protein rates
- For over-65 patients and those with diabetes, CVD, or UTI
- Indication of a dilute requires patient to submit specimen, triggering another urine sample
- Automatic identification of strip configuration for Clinitek® 50 users

#1566
(147-8028).....25/btl

#1554
(147-2360).....100/btl

CPT® Codes: 81000†/81001†/81002†/81003†/82570QW†



Take a new look at diabetes care.

Enhanced and improved patient care

Answers for life.

Offer your patients enhanced care:

- HbA1c results in minutes allows adjustment of patient treatment during the office visit
- Immediate results reduce the need of costly and inconvenient patient call-backs and return visits
- NGSP certified HbA1c test with excellent correlation to reference methods ensures confidence in the results
- Easy to perform CLIA-waived HbA1c test can be performed in any clinical setting

SIEMENS

HENRY SCHEIN®**ONESTEP+ STRIP READER & URISPEC 11-WAY PROMOTION**

- CLIA waived
- Readings eliminate subjectivity of visual color interpretation, which makes urinalysis simpler and more reliable
- Features no-touch operation: After strip placement, measurement starts automatically, which makes urinalysis faster and more hygienic
- For use with Henry Schein Brand Urispec™ 11-Way Reagent Strips only

(900-7017)

ea

Contains: 1 OneStep+ urinalysis reader & 12 bottles of Urispec 11-Way urine strips.

**HENRY SCHEIN®****URISPEC™ 11-WAY URINE REAGENT TEST STRIPS**

- Unique "read all" feature at 60 seconds
- Similar to Multistix® 10 SG Plus Ascorbic Acid Test and all brands of 10 SG products
- Glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen, nitrite, and leukocytes
- Reader available
- Ascorbic acid pad to ensure uncompromised results
- Room-temperature storage

(102-2285).....100/btl

CPT® Codes: 81000†/81001†/81002†/81003†

**HENRY SCHEIN®****URISPEC™ 10SG URINE STRIPS**

Strips for Visual Read

Tests for glucose, bilirubin, ketone, urobilinogen, specific gravity, blood, pH, protein, nitrites, and leukocytes.

(900-4994)

100/btl

**HENRY SCHEIN®****URISPEC™ 5 OB URINE STRIPS**

Strips for Visual Read

Tests for glucose, protein, blood, nitrites, and leukocytes.

(900-4995)100/btl**HENRY SCHEIN®****URISPEC™ PRO 2 GP URINE STRIPS**

Strips for Visual Read

Tests for glucose and protein.

(900-4996)100/btl**HENRY SCHEIN®****URISPEC™ 4-WAY URINE REAGENT STRIPS**

- Protein, nitrite, glucose, and leukocytes
- Ideal for OB/GYN
- Infection, diabetes, and kidney function
- Dip and read in 60 seconds

(107-7157)100/btl**HENRY SCHEIN®****URISPEC™ GP+A URINE REAGENT TEST STRIPS**

Test for glucose and protein, with an ascorbic acid test for accuracy.

- Protein and glucose
- Ideal for metabolic, kidney, and diabetic monitoring
- Dip and read in 60 seconds

(100-6567)100/btl**HENRY SCHEIN®****ONESTEP+ PREGNANCY STRIP TEST**

Rapid, chromatographic immunoassay for the qualitative detection of human chorionic gonadotropin (hCG) in urine to aid in the early detection of pregnancy.

- Urine test
- CLIA waived
- 25 mIU/mL detection level
- Room-temperature storage
- Read time 3 minutes or less

(900-4072)25/box

Contains: 25 pouched tests per kit & 1 package insert.

CPT® Code: Urine 81025QW†

**HENRY SCHEIN®****ONESTEP+ IFOBT OCCULT BLOOD MONOCLONAL ANTIBODY KITS**

Innovative kit designed to avoid increased costs caused by noncompliant patients.

- Patient takes home stick and card only (instead of taking home buffer tubes)
- 30-day sample stability (compare to 4-8-day stability)
- Monoclonal; no dietary restrictions
- Clean, in-office sample handling
- Multiple-site accuracy

Cassettes**(900-7458)**30/kit

Contains: 30 cassettes & buffer tubes.

25-Test Complete Kit**(900-4413)**25/kit

Contains: mailing cards kit, cassettes & buffer tubes.

20-Patient Mailer Kits**(900-4416)**20/kit

Contains: sticks, card mailer & instructions.

All-inclusive Test Kit

CPT® Codes: 82274QW†/G0328QW†





CONTOUR® Blood Glucose Meter

Cleared for multiple-site testing, which means more choice and flexibility about where you test: finger, forearm, palm, abdomen, or thigh—it's up to you. However, be sure to talk with your health care professional first to ensure that alternate site testing is right for you.

- No coding required
- Automatic underfill detection
- Automatic control marking
- Automatic temperature control
- Small sample size (0.6 µL)
- Quick testing time—results in 15 seconds
- Saves information for up to 240 tests with time and date

#7151, Meter
(147-1405).....ea
#7099, Strips
(147-9303).....50/vial
#7109, Control-Normal, 2.5 mL
(147-0874).....ea
#7111, Control-High, 2.5 mL
(147-8283).....ea
#7110, Control-Low, 2.5 mL
(147-5579).....ea



A1CNow+® Tests

This handheld monitor provides accurate in-office A1c results, allowing physicians to make on-the-spot treatment decisions for diabetes patients.

- CLIA waived
- In-office testing; no waiting for lab results
- Hands-on procedure time is less than 1 minute
- Simple, 3-step procedure
- No calibration
- No capital equipment required
- Enables A1c testing in every exam room
- Results in just 5 minutes
- No refrigeration necessary if used within 4 months

#3024
(430-3504) 10/box
#3021
(430-1248) 20/box
CPT® Code: 83037QW†



More convenient than the lab

- Results in 5 minutes
- Portable – use in multiple exam rooms
- Small (5µL) blood sample
- Easy to use – minimal training required
- No maintenance

Key features

- Lab accuracy
- National Glycohemoglobin Standardization Program (NGSP) certified
- CLIA waived
- Service reimbursed by most third party insurers

Bayer's A1CNow+® Multi-Test A1C System

Bayer's A1CNow+® provides you with a fast and easy way to obtain lab accurate A1C results in your office. This innovative technology enables you to communicate face-to-face with your patients about their diabetes control.

ORDER NUMBER	DESCRIPTION
DCD302	A1CNow+® Multi-Test A1C System, 1 kit - 10/bx

ORDER NUMBER	DESCRIPTION
DCD3021	A1CNow+® Multi-Test A1C System, 1 kit - 20/bx



Easy to use, learn, and teach

- No Coding™ technology
- Proven accuracy
- 5 second test time
- Small (0.6µL) sample size

Optional Advanced Features

- Personalized HI/LO settings
- 7-day summary
- 7-,14-, and 30-day averages
- Pre-and post-meal markers

Bayer's CONTOUR® Blood Glucose Monitoring System

For fast, accurate results using No Coding™ technology, automatic underfill detection, control marking and temperature correction. PC download option available. For use with CONTOUR® Blood Glucose Test Strips.

ORDER NUMBER	DESCRIPTION
DCD7189	CONTOUR® Blood Glucose Monitoring System, each



Bayer HealthCare
Diabetes Care

©2012 Bayer, the Bayer Cross, CONTOUR and A1CNow+ are registered trademarks of Bayer.



Alere Toxicology

iCup™ DX Drug Screen Cups

- CLIA waived
- Optional sample validity tests
- Simple process
- All inclusive
- No urine exposure
- Tester activates test when ready
- 5-minute results

I-DXA-1127-0-023, 12 Panels Tests for up to 12 drugs: COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, OXY, MTD, TCA, and MDMA.
(113-2722) 25/box

I-DXA-1107-1-142, 10 Panels Tests for up to 10 drugs: COC, THC, OPI, AMP, mAMP, BZO, BAR, OXY, MTD, and MDMA.
(395-0024) 25/box

I-DXA-187-01-016, 8 Panels Tests up to 8 drugs: COC, THC, OPI, AMP, mAMP, BZO, OXY, and MTD.
(852-0015) 25/box

I-DXA-167-01, 6 Panels Tests for up to 6 drugs: COC, THC, OPI, mAMP, BZO, OXY; plus SVT adulteration strips.
(459-0014) 25/box

Alere Toxicology

iCassette™ Dx Test

CLIA waived, easy to use, and screens for 11 drugs on one device.

#I-DCB-1115-011: COC, THC, OPI, AMP, PCP, BZO, BAR, MDMA, PPX, OXY, TCA
(459-0007) 25/box

ID CODE TRANSLATIONS:

AMP: Amphetamine
BAR: Barbiturates
BZO: Benzodiazepines
COC: Cocaine
THC: Marijuana
MTD: Methadone
mAMP: Methamphetamine
MDMA (Ecstasy): Methylenedioxymethamphetamine
OPI: Opiate 2000
OXY: Oxycodone
PCP: Phencyclidine
TCA: Tricyclic Antidepressants



Alere Toxicology

iCup® AD

All-Inclusive Drug-Screening Test

- Zero exposure
- Built-in validity test
- 3–13 drug configurations*
- Results can be photocopied
- Collect and read
- 24-month shelf life



#I-DUA-157-013, 5 Panel (CLIA Waived): COC, THC, OPI, AMP, and mAMP
(195-4184) 25/box

#I-DUA-157-023, 5 Panel (CLIA Waived): COC, THC, OPI, AMP, and PCP
(673-2588) 25/box

#I-DUA-157-034, 5 Panel (CLIA Waived): COC, THC, OPI, mAMP, and PCP
(204-9814) 25/box

#I-DUA-167-012, 6-Panel (CLIA Waived): COC, THC, OPI, AMP, mAMP, PCP (OX, SG, PH)
(604-7353) 25/box

#I-DUA-167-022, 6 Panel (Moderate): COC, THC, OPI, AMP, mAMP, and BZO
(104-2333) 25/box

#I-DUA-167-291, 6 Panel (Moderate): COC, THC, OPI, AMP300, OX4, MDMA (OX, SG, PH)
(874-7298) 25/box

#I-DUD-187-013, 8 Panel (Moderate): COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR (OX, SG, PH, NI, GL, CR)
(303-6739) 25/box

#I-DUE-187-071, 8 Panel (Moderate): COC, THC, MOP, AMP, mAMP, PCP, BZO, OXY (OX, CR, PH)
(113-5160) 25/box

#I-DUE-1107-141, 10 Panel (Moderate): COC, THC, OPI, AMP, mAMP, BZO, BAR, OXY, MTD, PPX (OX, CR, PH)
(113-2737) 25/box

#I-DUE-1127-012, 12 Panel (Moderate): COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, MTD, TCA, OXY, and PPX
(110-5436) 25/box

*Not all configurations are CLIA waived.

Alere Toxicology

Substance abuse testing with more substance.



aleretoxicology.com

©2012 Alere. All rights reserved. Alere is a trademark of the Alere group of companies. 810107 REV1 9/12

CLIA
WAIVED
OPTIONS

On-Site Urine Drug Screens

- » 18 FDA Cleared assays
- » Largest selection of tests available
- » More CLIA waived options available
- » Multiple configurations to choose from
- » Fast results in 5 minutes

NEW!



Disposable Cryosurgical Device

Clinically effective direct spray of liquid nitrous oxide (-89°C/ -127°F) in a convenient and economical device.

- Colder and more effective than canister-based disposable systems
- Precise, concentrated spray
- Usually resolves most lesions in a single-office visit
- Average treatment time is 10 seconds
- Precise, concentrated spray, no accessories required
- FDA approved for a broad range of non-malignant lesions!
- Unit does not contact patient
- Shelf-life of 2 years un-activated, at least 6 months activated
- Non-flammable, disposable
- High revenue stream, pays for itself in about 3 treatment



(378-0286) CryOmega

Disposable cryosurgical unit containing 16g nitrous oxide (N₂O) cartridge

CryoOmega is a registered trademark of CryoConcepts, LP. U.S. and International Patents Pending.

Premier® Medical Products
www.premusa.com

Henry Schein Rx Samples Service

Our Rx Samples Service is free, secure, and easy

Order pharmaceutical samples online—easily and conveniently.

Sponsored by leading pharmaceutical companies—with no cost to you. Sampling enables you to:

- Initiate patient treatment faster
- Increase patient compliance
- Provide valuable information about patient response to a new Rx regimen
- Increase patient satisfaction; patients appreciate the convenience, ease, and thoughtfulness of samples



Check your eligibility today!

Go to www.henryscheinrxsamples.com, sign up and in a few minutes you can start ordering samples:

- Access to leading brands not currently available to you today
- Easy to use, 3 minutes to register, 2 minutes to reorder
- Order multiple brands from different manufacturers from one central location



1.800.PSCHEIN
www.henryschein.com/medical



www.henryschein.com/rxsamples

EpiPen® & EpiPen Jr®

EpiPen® and EpiPen Jr® Auto-Injectors are available now only in 2-Pak cartons. Up to 20% of patients require a second dose of epinephrine either due to persistent symptoms or a biphasic reaction. For this reason it is important that patients at risk for anaphylaxis carry EpiPen 2-Pak® which provides an additional dose if needed during an anaphylactic reaction. (Additionally, each EpiPen 2-Pak® includes a training device.)

Adult
(345-1926)

Junior
(345-3230)



Dey Pharma, L.P., a subsidiary of Mylan Inc., now offers exclusively the EpiPen 2-Pak® and EpiPen Jr 2-Pak® (epinephrine) Auto-Injector 0.3/0.15 mg, to encourage physicians and patients to follow recommendations by the National Institute of Allergy and Infectious Diseases (NIAID). While there is no safety issue with the EpiPen® and EpiPen Jr single package, Dey has transitioned away from distributing and marketing the single paks in the U.S.

The "Guidelines for the Diagnosis and Management of Food Allergy in the United States," which were developed by an expert panel sponsored by the NIAID, a division of the National Institutes of Health (NIH), recommend that patients at risk for or who have experienced anaphylaxis have immediate access to two doses of epinephrine. (1) More specifically, the guidelines indicate that if a patient responds poorly to the initial dose or has ongoing or progressive symptoms despite initial dosing, repeated dosing may be required after five to 15 minutes. (1) Patients should seek immediate emergency medical treatment after use of EpiPen or EpiPen Jr.

References

1. Boyce JA, Assa'ad A, Burks AW, et al. Guidelines for the diagnosis and management of food allergy in the United States: report of the NIAID-Sponsored Expert Panel. *J Allergy Clin Immunol.* 2010;126(6 suppl):S1-S58.

EpiPen®, EpiPen 2-Pak®, and EpiPen Jr 2-Pak® are registered trademarks of Mylan Inc. licensed exclusively to its wholly-owned subsidiary, Dey Pharma, L.P. MyEpiPen™ is a trademark of Dey Pharma, L.P.

Aplisol® Injectables

Tuberculin PPD
Stabilized Solution
5 TU/0.1 mL

1-mL Vial
(110-5199)10/pkg

5-mL Vial
(110-5099)50/pkg

CPT® Code: 86580†

Item stored under refrigeration. May be shipped separately.




Betamethasone Sodium Phosphate and Betamethasone Acetate

Compare to
Celestone® Soluspan®

6 mg/mL, 5-mL MDV

(114-8668)ea



Bicillin® C-R Injectable* Prefilled Syringes

Penicillin G Benzathine and Penicillin G
Procaine, IM Suspension

Pediatric, 1"
900/300 U/mL, 2 mL
(321-6738)10/pkg

1,200,000 U/mL, 2 mL
(321-2437)10/pkg

Adult, 1½"
1,200,000 U/mL, 2 mL
(321-7671)10/pkg

*Tubex® Injector is not required.



Bicillin® L-A Injectable* Prefilled Syringes

Penicillin G Benzathine IM Suspension

Pediatric, 21 ga x 1"
600,000 U/mL, 1 mL
(321-6704)10/pkg

Adult, 21 ga x 1½"
1,200,000 U/mL, 2 mL
(321-7445)10/pkg

Adult, 18 ga x 1½"
2,400,000 U/mL, 4 mL
(321-1663)10/pkg

*Tubex injector is not required.



Ceftriaxone Sodium Injectables

Compare to *Rocephin®*

250 mg, 6-mL SDV
(784-0052)10/box

500 mg, 6-mL SDV
(784-8231)10/box

1 g, 10-mL SDV
(784-6100)10/box

2 g, 10-mL SDV
(784-8917)10/box



Depo-Medrol® Injectables

Methylprednisolone Acetate

40 mg/mL, 10-mL MDV
(908-1188)ea

40 mg/mL, 10-mL MDV
(908-1177)25/box

80 mg/mL, 5-mL MDV
(908-3787)ea



Dexamethasone Sodium Phosphate Injectables

Compare to *Decadron®*

10 mg/mL, 1-mL SDV
(138-6758)25/pkg

4 mg/mL, 30-mL MDV
(102-4486)ea

10 mg/mL, 10-mL MDV
(112-3411)10/pkg



Epinephrine Injectable Ampules

Nonreturnable

1:1000, 1 mL
(258-9483)5/pkg



International Medication Systems, Limited
your partner in parenteral products



Epinephrine Injection

1:1000, 30-mL MDV
(118-7741)ea



Epinephrine Ampules

1:1000
1 mg/mL, 1 mL
(104-7057)25/box

Ibuprofen Oral Suspension

100 mg/5 mL, 480-mL Bottle
(108-8440)ea



Kenalog®-40 Injectables

Triamcinolone Acetonide

40 mg/mL, 5-mL MDV
(196-1737)ea

40 mg/mL, 10-mL MDV
(196-9429)ea



Lidocaine with Prilocaine Cream

30-g Tube
(104-6587)ea



Medroxyprogesterone Acetate Injectable Suspension

Compare to
Depo-Provera® Contraceptive

150 mg/mL, 1-mL SDV
(108-3517)ea

(108-2357)25/box



Orapred

(prednisolone sodium phosphate oral solution) 15 mg/5 mL

Orapred Oral Solution

15mg/5mL 237mL/Bt
(248-7129)Btl



Silver Nitrate Applicator

- 6" plastic applicator stick
- 75% silver nitrate, 25% potassium nitrate
- Automated production provides consistent silver nitrate on applicator
- Packaged in a secure vial to ensure moisture control
- Prescription item

(277-0017)100/vial

Offer ends January 30, 2013

MENTION PROMO CODE BA
to ensure promotional pricing.

Call: **1-800-P-SCHEIN**
(1-800-772-4346) 8am-9pm (et)

Fax: **1-800-329-9109** 24 Hours

www.henryschein.com/medical

Due to manufacturer price increases, prices are subject to change without notification. Offer valid on our full array of products, excluding flu vaccine and Synagis®. Upon any request by Medicare, Medicaid, Tricare or other payer, you must report the value of any benefit received from a discount program (e.g., points redemptions, gifts or other special awards). ©2012 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. No adjustments from prior sales. Offer not to be combined with other promotions and/or special contract pricing. Void where prohibited. Local regulatory requirements may apply to use or installation of certain products. It is your responsibility to understand and comply with any such requirements prior to purchase, use or installation of products. †For informational purposes only. Source: ReimbursementCodes.com and/or www.cms.gov. Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances.

12MS7521



Printed on recycled paper.
Please recycle it again.


 **HENRY SCHEIN®**
Henry Schein, Inc. • 135 Duryea Road • Melville, NY 11747

PRSRT STD
U.S. POSTAGE

PAID

HENRY SCHEIN, INC.

Be Prepared for the Coming Flu Season



Henry Schein is the
largest distributor of
flu vaccine in the
United States! Allow
us to fulfill all your
flu vaccine needs.

**Order
Flu Vaccine
NOW!**

Adult and Pediatric