



# ConMed Electrosurgery

## 2013-2014 Product Catalog



**ALTRUS®**  
THERMAL TISSUE FUSION



**BEND-A-BEAM®**  
MALLEABLE ABC® HANDPIECES



**SYSTEM 5000®**  
ELECTROSURGICAL GENERATOR



**GOLDVAC™**  
SMOKE EVACUATION PENCIL



Ordering information:  
Call Customer Service  
800-448-6506  
+1 315-797-8375  
or visit [conmed.com](http://conmed.com).

<b>ConMed Corporation</b>	<b>2</b>
<b>Order Information</b>	<b>3</b>
<b>Electrosurgical Generators</b>	<b>4-6</b>
<b>Electrosurgical Manuals</b>	<b>7</b>
<b>Thermal Tissue Fusion</b>	<b>9</b>
<b>Electrosurgical Footswitches</b>	<b>8</b>
<b>Argon Beam Coagulation (ABC®) Accessories</b>	<b>10-11</b>
<b>Electrosurgical Pencils</b>	<b>12-13</b>
<b>Active Electrodes</b>	<b>14-16</b>
<b>Suction Coagulators</b>	<b>17</b>
<b>Dispersive Electrodes</b>	<b>18-20</b>
<b>Dispersive Electrode Adapters and Cables</b>	<b>21-23</b>
<b>Smoke Plume Management</b>	<b>24-27</b>
<b>Forceps</b>	<b>28-29</b>
<b>Adapters</b>	<b>30</b>
<b>Bipolar and TUR Cables</b>	<b>31-32</b>
<b>Electrosurgery Training Programs</b>	<b>33-34</b>
<b>Numerical Index</b>	<b>35-40</b>

## Company History

In 1973, Eugene Corasanti in Utica, New York founded Consolidated Medical Equipment, Inc. The first product was the disposable ECG monitoring electrode. The disposable electrode market was newly emerging at a time in the history of U.S. healthcare when disposable products were rapidly gaining acceptance.

As ConMed's business grew, so did its product line. ConMed expanded into the electrosurgery market with a line of disposable grounding pads and pencils. In 1987, the company went public issuing approximately 4 million shares. In 1989, ConMed completed its first major acquisition. It purchased Aspen Labs from Bristol Myers Squibb, and with this transaction, made the company a very strong competitor in the electrosurgery market. In the 1990's, ConMed acquired several competitive companies that were producing ECG electrodes and electrosurgery products. In 1997, ConMed completed the acquisition of Linvatec, which made the company the number two worldwide producer of arthroscopy products and orthopaedic powered surgical instruments. In 2004, ConMed acquired the majority of the Endoscopic Technologies business from C.R. Bard, accelerating its penetration into the Gastroenterology and Pulmonology markets.

Today, ConMed manufactures thousands of products in eight different areas: Arthroscopy, Electrosurgery, Endoscopy, Endoscopic Technologies, EndoSurgery, Integrated Systems, Patient Care and Powered Surgical Instruments. We offer innovation and value added customer service across all of our product lines while holding the number 1 or number 2-market share position in the majority of our product line areas.

With eleven manufacturing facilities, 3100 employees and worldwide distribution, ConMed continues to uphold its mission after 35 years of existence. We continue to strive to improve the quality of healthcare by designing, producing and marketing innovative, high-quality products.

## Mission Statement

Our mission is to improve the quality of healthcare by designing, producing, and marketing innovative, high-quality products.

Our emphasis is on patient safety, customer satisfaction, and sustained growth of shareholder equity.

In pursuit of our goals, we strive to demonstrate thoughtful leadership, provide meaningful opportunities for employees, and be a responsible member of the global and local communities in which we conduct business.

## Quality Policy

“ConMed is committed to providing safe and effective products and services that meet the needs of our patients, customers and company stakeholders.”

— Joseph Corasanti  
CEO, President

## To Place Your Order

Please provide a purchase order number, billing and shipping instructions, terms, product catalog number, description, and pricing to:

### Customer Service Within U.S.

Telephone: (800) 448-6506  
(315) 797-0375 ext. 5111

Fax: (800) 438-3051

### Customer Service International

Telephone: (315) 797-8375  
Fax: (315) 735-6235

Purchase orders should be addressed to ConMed Corporation, 525 French Road, Utica, NY 13502.

## Terms and Conditions

All ConMed products are manufactured and produced in compliance with the following quality system standards:

21CFR 820, US FDA Quality System Regulation

CMDCAS

ISO13485

European MDD, Annex II and V

All products may not be available for sale in your region. For information on pricing and product availability, please contact your local ConMed representative.

All prices and specifications are subject to change without notice. All prices are F.O.B. Utica, New York; Centennial, Colorado; Atlanta, Georgia (F.O.B. Drop Shipment Points where applicable).

CREDIT TERMS: Net 30 days.

## Technical Support

If you encounter a problem or need technical assistance, contact Technical Support at 1-800-552-0138.

## Latex-Free Products

ConMed Electrosurgery does not utilize latex™ in any of the surgical products it manufactures.

## Limited Service Warranty

For a period of two years following the date of shipment, ConMed Corporation warrants electrosurgical units against any defects in materials or workmanship and

will repair or replace (at ConMed's discretion), the same without charge, provided that routine maintenance, as specified in the service manual, has been performed using replacement parts approved by ConMed. This warranty is void if the product is used in a manner or for purposes other than intended.

Extended warranties are available. Please contact your local ConMed Territory Manager, Customer Service, or Technical Services for more information.

## Extended Service Warranty

Extended warranty agreements must be received before the original warranty expiration date of any subject electrosurgical unit.

Customers can maintain the warranty for up to seven years from date of shipment per the agreement terms listed in Option A of the Extended Warranty Form. Customers can also purchase an extended warranty per the terms listed in Option B of the Extended Warranty form.

If product is under warranty, the customer is responsible only for shipping the product to ConMed; ConMed is responsible for shipping the product back to the customer. If the product is out of warranty, the customer is responsible for shipping the product to and from ConMed.

## Return Goods Policy

All ConMed electrosurgical products being returned must be assigned a Return Goods Authorization number prior to the return goods being shipped. Contact Technical Support at 1-800-552-0138 to obtain a RGA number and shipping instructions.

All return goods, except obsolete, discontinued, damaged or special order, may be returned within 60 days after date of purchase for credit.

All return goods being returned for credit will be subject to a minimum of 15% restocking fee. The exact amount of credit, if any, will be determined by the product's condition, age, and reason for return. The product must be in its original package and unopened.

If the return is due to ConMed error, full credit will be applied.

# Electrosurgical Generators



## System 5000™ ESU

The System 5000™ is the technology leader in electrosurgery generators. Maximum flexibility allows surgeons to attain a specific clinical effect in most surgical conditions.

- General Mode – Traditionally used in open procedures
- Fluids Mode – Quick start-up in fluid environments, such as urology or arthroscopy
- Laparoscopic Mode – Limits output voltage to minimize potential harmful effects of capacitive coupling and insulation breakdown
- Pulse Cut – Useful when precise cutting effect is needed around delicate structures
- Pulse Coag – Provides superficial hemostasis via pulsing bursts of coagulation energy
- Bipolar Output Meter – Provides feedback on desiccation levels via audible and visual indicators
- ARM (Automatic Return Monitoring) – Provides advanced warning of compromised patient to dispersive electrode contact



**System 5000™ ESU**

### The Total System

Includes a System 5000™ ESU, Mobile Pedestal, Upper Storage Basket, Lower Storage Basket, Saddlebag Lower Basket, Monopolar Footswitch with 15' (4.57m) cable, Bipolar Footswitch with 10' (3.05m) cable, AER DEFENSE™ Smoke Evacuator, and Vacuum Control Assembly.

Product No.	Description	Packaging
60-8005-SYS-VAC	120V System 5000 ESU (English Front Panel)	1 each

### The System

Includes a System 5000™ ESU, Mobile Pedestal, Upper Storage Basket, Lower Storage Basket, Monopolar Footswitch with 15' (4.57m) cable, Bipolar Footswitch with 10' (3.05m) cable.

Product No.	Description	Packaging
60-8005-SYS	120V ESU (English Front Panel)	1 each
60-8015-SYS	100V - 240V ESU (Symbols Front Panel)	1 each
60-8018-SYS	100V - 240V ESU (English Front Panel)	1 each

### System 5000™ (ESU Only)


Product No.	Description	Packaging
60-8005-001	120V System 5000 ESU (English Front Panel)	1 each
60-8005-002	100V - 240V ESU (Symbols Front Panel)	1 each
60-8005-003	100V - 240V ESU (English Front Panel)	1 each

### System 5000™ Mobile Pedestal

Product No.	Description	Packaging
60-8040-001	Mobile Pedestal including Upper and Lower Storage Baskets	1 each

### System 5000™ Stacking Adapter

Product No.	Description	Packaging
60-8030-001	Adapter allows two System 5000™ ESUs to be mounted on a Mobile Pedestal (see picture above)	1 each



60-8030-001



Two System 5000™ ESUs stacked on a Mobile Pedestal with Stacking Adapter



## System 2450™ ESU

The System 2450™ provides state-of-the-art technology in an easy to use format. Modes include Pure and Blend Cut, Standard and Spray Coag, and Micro and Macro Bipolar settings. The combination connector allows either hand accessory connection or foot accessory connection with a Bovie #12 plug.

System 2450™ (ESU Only)		
Product No.	Description	Packaging
60-2450-120	120V ESU	1 each
60-2450-220	220V ESU	1 each
60-2450-230	230V-240V ESU	1 each

System 2450™ Cart		
Cart for use with the System 2450™ electrosurgical unit.		
Product No.	Description	Packaging
60-7152-001	Cart Assembled (see photo)	1 each

## System 2450™ ESU

System 2450™ Stacking Adapter		
Stacking adapter allows two System 2450™ ESUs to be mounted to one cart.		
Product No.	Description	Packaging
60-6963-001	Stacking Adapter	1 each



## Sabre Genesis™

The Sabre Genesis™ is a compact and easy-to-use electrosurgical generator. It's versatile enough to handle a wide variety of office-based procedures with modes including pure cut, blend cut, pulse cut, coag and bipolar.

Sabre Genesis™ (ESU Only)		
Product No.	Description	Packaging
60-8200-120	100-120V	1 each
60-8200-230	100-240V	1 each



## Sabre Genesis™ ESU

Universal ESU Cart		
Product No.	Description	Packaging
60-5480-001	Assembled Cart	1 each
60-5480-002	Unassembled Cart	1 each





**System 7550™ ABC® ESU**

## System 7550™ ABC® ESU

The System 7550™ is a fully functional electrosurgical generator with the added benefit of Argon Beam Coagulation (ABC®) technology. Argon Beam Coagulation provides rapid hemostasis which may aid in reducing blood loss and surgical time.

System 7550™ ABC® ESU		
Includes System 7550™ ESU and base		
Product No.	Description	Packaging
60-7550-120	110V, 60Hz	1 each
60-7550-230	230V, 50Hz/60Hz	1 each



136050

System 7550™ ABC® Argon Tanks		
Product No.	Description	Packaging
136050	Argon gas cylinder (D size) with 33 cubic feet (934.46 liters) capacity. 99.998% pure argon gas included.	1 each
136051	Empty argon gas cylinder (D Size) with 33 cubic feet (934.46 liters) capacity.	1 each

## Electrosurgical Generators Features At-a-Glance



Performance Features	System 5000	System 2450	Sabre Genesis	System 7550 with ABC®
Dynamic Response Technology	✓	✓	✓	
Automatic Return Monitoring	✓	✓	✓	✓
Monopolar/ Bipolar Footswitch Connectors	✓	✓	✓	✓
Continuous Microprocessor Safety Monitoring	✓	✓	✓	✓
Multiple Handpiece Ports	✓	✓		✓
Programmable Settings	✓			✓
Integrated Mobile Pedestal (Cart)	✓			✓
Remote Power Control	✓			✓
<b>Monopolar Modes</b>				
Pure Cut	✓	✓	✓	✓
Blend	Blend I, II, III	Standard	Standard	Blends 1-9
Standard Coag	✓	✓	✓	
Spray Coag	✓	✓		✓
Pinpoint Coag	✓			✓
<b>Bipolar Modes</b>				
Macro Coag	✓	✓	✓	✓
Micro Coag	✓	✓		
<b>Specialty Modes</b>				
Fluids Specialty Mode	✓			
Lap Specialty Mode	✓			
Argon Beam Coagulation (ABC®)				✓

## Electrosurgical Generator Manuals, CDs and DVDs

System 5000™ ESU		
Product No.	Description	Packaging
60-8016-ENG	System 5000™ Operator's Manual	1 each
60-8017-ENG	System 5000™ Service Manual	1 each
60-8026-DVD	System 5000™ In-Service DVD (computer must be equipped with DVD player)	1 each
60-8026-001	System 5000™ In-Service CD	1 each
System 2450™ ESU		
60-2451-ENG	System 2450™ Operator's Manual	1 each
60-2454-ENG	System 2450™ Service Manual	1 each
60-2453-001	System 2450™ In-Service CD	1 each
Sabre Genesis™ ESU		
60-8201-ENG	Sabre Genesis™ Operator's Manual	1 each
60-8202-ENG	Sabre Genesis™ Service Manual	1 each
60-8206-001	Sabre Genesis™ In-Service CD	1 each
System 7550™ ESU		
60-7551-ENG	System 7550™ Operator's Manual	1 each
60-7552-ENG	System 7550™ Service Manual	1 each
System 7500® ESU		
60-7501-ENG	System 7500® Operator's Manual	1 each
60-7502-ENG	System 7500® Service Manual	1 each
CD12473	System 7500®/7550™ In-Service CD	1 each
Please contact your local ConMed Territory Manager or Customer Service for Operator's Manuals in Chinese, Dutch, French, German, Italian, Japanese, Portuguese, Spanish and Swedish.		





# Electrosurgical Footswitches



60-6700-001

Footswitch (full size)	
Monopolar, low profile, waterproof. For use with System 5000™, System 2450™, Sabre Genesis™ and System 7550™ ABC®. With 15' (4.57m) cable.	
Product No.	Packaging
60-6700-001	1 each



60-5103-001

Footswitch		
Bipolar, splashproof, omni-directional. For use with System 5000™, System 2450™, Sabre Genesis™ and System 7550™ ABC®.		
Product No.	Description	Packaging
60-5103-001	With 10' (3.05m) cable	1 each
60-5103-002	With 15' (4.57m) cable	1 each



60-5104-001

Footswitch (full size)		
Monopolar, splashproof. For use with System 7550™ ABC®.		
Product No.	Description	Packaging
60-5104-001	With 10' (3.05m) cable	1 each
60-5104-003	With 15' (4.57m) cable	1 each



60-1650-001

Footswitch	
Bipolar, single treadle. For use with System 5000™, System 2450™, and System 7550™ ABC®. With 10' (3.05m) cable.	
Product No.	Packaging
60-1650-001	1 each



130146

Footswitch, single-pedal ABC®	
For use with the System 7550™ ABC® and older ConMed and Birtcher ABC® ESUs. With 10' (3.05m) cable.	
Product No.	Packaging
130146	1 each



60-8034-001

Footswitch	
Bipolar, low profile. For use with System 5000™, System 2450™, and System 7550™ ABC®. With 15' (4.57m) pre-attached cable.	
Product No.	Packaging
60-8034-001	1 each



130142


Disposable cover for footswitches	
Non-Sterile	
Product No.	Packaging
130142	25/case



**ALTRUS® Thermal Tissue Fusion**



Altrus® stacked with System 5000™ ESU and Mobile Pedestal



## ALTRUS® Thermal Tissue Fusion

The ALTRUS® Thermal Tissue Fusion System is the next generation in energy based vessel sealing technology. Based on a thermal energy platform, Altrus® offers a variety of differentiating features over competitive devices.

ALTRUS® Thermal Tissue Fusion System Energy Source		
Product No.	Description	Packaging
60-9500-120	For sale in the U.S. and Canada	1 each
60-9500-INT	For sale outside the U.S. and Canada	1 each

ALTRUS® Thermal Tissue Fusion System Handpieces <small>Single Use; Sterile</small>		
10mm		
Product No.	Description	Packaging
60-9510-001	ALTRUS® 10mm, 16cm shaft	6 each
60-9511-001	ALTRUS® 10mm, 23cm shaft	6 each
60-9512-001	ALTRUS® 10mm, 36cm shaft	6 each
5mm		
60-9520-001	ALTRUS® 5mm, 16cm shaft	6 each
60-9521-001	ALTRUS® 5mm, 23cm shaft	6 each
60-9522-001	ALTRUS® 5mm, 36cm shaft	6 each

ALTRUS® Thermal Tissue Fusion System Accessories		
Product No.	Description	Packaging
60-9540-001	ALTRUS® Cart with Energy Source adapter plate	1 each
60-9541-001	ALTRUS® Stacking Adapter for System 5000™ ESU	1 each
60-9542-001	ALTRUS® Energy Source adapter plate for System 5000™ ESU cart	1 each
60-9543-ENG	ALTRUS® Thermal Tissue Fusion System Operator's Manual-English	1 each
60-9543-FRE	ALTRUS® Thermal Tissue Fusion System Operator's Manual-French	1 each
60-9543-GER	ALTRUS® Thermal Tissue Fusion System Operator's Manual-German	1 each
60-9543-ITA	ALTRUS® Thermal Tissue Fusion System Operator's Manual-Italian	1 each
60-9543-SPN	ALTRUS® Thermal Tissue Fusion System Operator's Manual-Spanish	1 each



60-9500-120



130321


Triple Option Handpiece		
Single Use; Sterile		
Product No.	Description	Packaging
130321	Triple Option Hand Control Handpiece with blade electrode, 10' (3.05m) cord and holster. Allows the use of Monopolar Cut, Coagulation and ABC® in one pencil.	10/case 1/pkg



139321

UltraClean® Blade		
Single Use; Sterile		
Product No.	Description	Packaging
139321	1" (2.5cm) UltraClean® blade, for ABC® Triple Option Handpiece.	10/case 1/pkg


### ABC® Handpieces Compatible with Dissecting Electrodes



130344

Single Function Handpiece		
Single Use; Sterile		
Product No.	Description	Packaging
130344	Single Function Hand Control Handpiece with blade electrode, 10' (3.05m) cord and holster. Compatible with ABC® Dissecting Electrodes.	10/case 1/pkg

ABC® Dissecting Electrodes		
Convert from Argon Beam Coagulation to Argon Beam Dissect		
Single Use; Sterile		
Product No.	Description	Packaging
139330	ABC® Dissecting Blade Electrode.	20/case 1/pkg
139331	ABC® Dissecting Blunt Needle Electrode.	20/case 1/pkg




134009

134006


134003

Bend-a-Beam® Handpiece (Disposable - Hand Control)		
Single Use; Sterile		
Product No.	Description	Packaging
134009	9" (22.8cm) Bend-a-Beam® Single Function Malleable ABC® Hand Control Handpiece with 10' (3.05m) cord.	10/case 1/pkg
134006	6" (15.2cm) Bend-a-Beam® Single Function Malleable ABC® Hand Control Handpiece with 10' (3.05m) cord.	10/case 1/pkg
134003	3" (7.6cm) Bend-a-Beam® Single Function Malleable ABC® Hand Control Handpiece with 10' (3.05m) cord.	10/case 1/pkg

Angled (45°) ABC® Handpiece (Foot Control)		
Single Use; Sterile		
Product No.	Description	Packaging
130345	Angled (45°) ABC® Foot Control Handpiece with 10' (3.05m) cord. Compatible with ABC® Dissecting Electrodes.	10/case 1/pkg



130345




Reusable ABC® Handpiece (Foot Control)		Reusable; Non-Sterile
Product No.	Description	Packaging
130500	Reusable ABC® Foot Control Handpiece with 10' (3.05m) cord. When used with Single Use ABC® nozzle 130343 (below), provides Monopolar ABC® coagulation. Sterilize up to 100 times	1 each

ABC® Nozzle		Single Use; Sterile
Product No.	Description	Packaging
130343	Single Use ABC® Nozzle for use with 130500 reusable ABC® Handpiece (above). Compatible with ABC® Dissecting Electrodes.	20/case 1/pkg

Laparoscopic Probes (Disposable – Hand Control)		Single Use; Sterile
Product No.	Description	Packaging
160656	Disposable Laparoscopic 5mm ABC® Probe with 10' (3.05m) cord. 28 cm working length.	10/case 1/pkg
160636	Disposable Laparoscopic 5mm ABC® Probe with 10' (3.05m) cord. 36 cm working length.	10/case 1/pkg
160644	Disposable Laparoscopic 5mm ABC® Probe with 10' (3.05m) cord. 44 cm working length.	10/case 1/pkg

Laparoscopic Probes (Disposable – Foot Control)		Single Use; Sterile
Product No.	Description	Packaging
130342	Disposable Laparoscopic 10mm ABC® Probe with 10' (3.05m) cord. 28 cm working length. Compatible with ABC® Dissecting Electrodes.	10/case 1/pkg
160655	Disposable Laparoscopic 5mm ABC® Probe with 10' (3.05m) cord. 28 cm working length.	10/case 1/pkg

## ABC® Accessories




ThermoGard® Plus ABC® Dual Dispersive Electrodes		Single Use; Non-Sterile
Product No.	Description	Packaging
7-382	Adult Dual Dispersive (for patients >15 kg), use with the Birtcher Pad Sensing System (PSS) on the Birtcher Systems 6000, 6400, 6500 and ConMed Systems 7500 and 7550 ABC® generators or conventional electrosurgery units with similar contact quality monitoring systems. 10' (3.05m) Cable	40/case 10/box 1/pkg
7-383	Pediatric Dual Dispersive (for patients 5-15 kg), use with the Birtcher Pad Sensing System (PSS) on the Birtcher Systems 6000, 6400, 6500 and ConMed Systems 7500 and 7550 ABC® generators or conventional electrosurgery units with similar contact quality monitoring systems. 10' (3.05m) Cable	40/case 10/box 1/pkg


  

ThermoGard® Plus ABC® Single Dispersive Electrodes		Single Use; Non-Sterile
Product No.	Description	Packaging
7-384	Adult Single Dispersive (for patients >15 kg) 10' (3.05m) Cable	40/case 10/box 1/pkg

ABC® Adapters		Reusable; Non-Sterile
Product No.	Description	Packaging
133001	Coaxial Bipolar Adapter for use with ConMed System 7500® and 7550™ Excalibur Plus PC®, Sabre® 2400, and Sabre® 180	1 each




# Electrosurgical Pencils



Control Type	Blade Type	Switch Type	Electrode	Cable Length and Accessories	Packaging	Product No.
Disposable Hand Control Pencils	UltraClean® Disposable Blade	GoldLine® Push Button	1" UltraClean® Blade	10' (3.05m) Cable, Holster	40/case 1/pkg	131309A
				15' (4.57m) Cable, Holster	40/case 1/pkg	131326A
		GoldLine® Rocker Switch	1" UltraClean® Blade	10' (3.05m) Cable, Holster	40/case 1/pkg	131307A
				15' (4.57m) Cable, Holster	40/case 1/pkg	131327A
		Hand-Trol®	1" UltraClean® Blade	10' (3.05m) Cable, Holster	50/case 1/pkg	60-0300-551
				15' (4.57m) Cable, Holster	50/case 1/pkg	60-0300-555
	Standard Disposable Blade	GoldLine® Push Button	1" Blade	10' (3.05m) Cable, Holster	40/case 1/pkg	130309A
				10' (3.05m) Cable, Hoster, Tip Cleaner	40/case 1/pkg	130303A
				15' (4.57m) Cable, Holster	40/case 1/pkg	130326A
			Ext. Blade	10' (3.05m) Cable, Holster	40/case 1/pkg	138114A
		1" Needle	10' (3.05m) Cable, Holster	40/case 1/pkg	130302A	
		GoldLine® Rocker Switch	1" Blade	10' (3.05m) Cable, Holster, Tip Cleaner	40/case 1/pkg	130304A
				10' (3.05m) Cable, Holster	40/case 1/pkg	130307A
				15' (4.57m) Cable, Holster	40/case 1/pkg	130327A
			Ext. Blade	10' (3.05m) Cable, Holster	40/case 1/pkg	138115A
		1" Needle	10' (3.05m) Cable, Holster	40/case 1/pkg	130301A	
	Hand-Trol®	1" Blade	10' (3.05m) Cable, Holster	50/case 1/pkg	60-0300-501	
			10' (3.05m) Cable, Holster, Tip Cleaner	50/case 1/pkg	60-2800-501	
			15' (4.57m) Cable, Holster	50/case 1/pkg	60-0300-515	
	Disposable Foot Control Pencils	UltraClean® Disposable Blade	GoldLine® 1" UltraClean® Blade	10' (3.05m) Cable, Holster	40/case 1/pkg	138650A
Standard Disposable Blade		GoldLine® 1" Blade	10' (3.05m) Cable, Holster	40/case 1/pkg	138659A	
			15' (4.57m) Cable	40/case 1/pkg	138655-15A	
		GoldLine® 1" Needle	10' (3.05m) Cable, Holster	40/case 1/pkg	138652A	

## Disposable Pencils



Control Type	Blade Type	Switch Type	Electrode	Cable Length and Accessories	Packaging	Product No.
Reusable Hand Control Pencils	Standard	GoldLine® Push Button	1" Blade Disposable	20 use, 10' (3.05m) Cable	10/case 1/pkg	130317
			1" Blade Disposable	20 use, 15' (4.57m) Cable	10/case 1/pkg	130317-15
		GoldLine® Rocker Switch	1" Blade Disposable	20 use, 10' (3.05m) Cable	10/case 1/pkg	130316
			1" Blade Disposable	20 use, 15' (4.57m) Cable	10/case 1/pkg	130316-15
		PowerPoint®	1" Blade Reusable	50 use, 15' (4.57m) Cable	10/case 1/pkg	130384
Reusable Foot Control Pencils	Sold without electrode			50 use, 10' (3.05m) Cable	1 each	60-0815-001

**Reusable Pencils**




137668

### Pencil Accessories


Holsters		
Product No.	Description	Packaging
60-0235-001	Reusable Safety Holster	10/case 1/pkg
137668	Disposable Safety Holster	40/case 1/pkg

Tip Cleaner		
Single Use; Sterile		
Product No.	Description	Packaging
138029	Tip Cleaner with Radiopaque Material	40/case 1/pkg





138029

## Disposable Electrodes



Disposable UltraClean® Blades		Single Use; Sterile
Product No.	Description	Packaging
139100	1" UltraClean® Blade	50/case 1/pkg
139104EXT	1" UltraClean® Blade with Extended Insulation	50/case 1/pkg
139112	4" UltraClean® Blade	50/case 1/pkg
139112EXT	4" UltraClean® Blade with Extended Insulation	50/case 1/pkg
139107	6" UltraClean® Blade	50/case 1/pkg
139110EXT	6" UltraClean® Blade with Extended Insulation	50/case 1/pkg
139321	1" UltraClean® Blade for ABC® Triple Option Handpiece	10/case 1/pkg

Disposable Stainless Steel Blades		Single Use; Sterile
Product No.	Description	Packaging
138100	Heavy Flat Blade Electrode with Hex Hub	40/case 1/pkg
138101	Standard Flat Blade Electrode with Hex Hub	40/case 1/pkg
138104	Flat Blade Electrode with Extended Insulation; Hex Hub	40/case 1/pkg
138107	6" Flat Blade Electrode with Hex Hub	40/case 1/pkg
138110	6" Flat Blade Electrode with Extended Insulation; Hex Hub	40/case 1/pkg
138112	4" Flat Blade Electrode with Hex Hub	40/case 1/pkg
138113	3½" Flat Blade Electrode with Hex Hub	40/case 1/pkg



Disposable Tungsten MicroNeedles		Single Use; Sterile
Product No.	Description	Packaging
138504	5cm, 45° angle MicroNeedle	40/case 1/pkg
138504-10	5cm, 45° angle MicroNeedle	10/case 1/pkg
138505	3cm, Straight MicroNeedle	40/case 1/pkg
138505-10	3cm, Straight MicroNeedle	10/case 1/pkg
138506	4cm, Straight MicroNeedle	40/case 1/pkg
138506-10	4cm, Straight MicroNeedle	10/case 1/pkg

## Disposable Electrodes




Disposable UltraClean® Needles		Single Use; Sterile
Product No.	Description	Packaging
139102	1" UltraClean® Needle	50/case 1/pkg
139105EXT	1" UltraClean® Needle with Extended Insulation	50/case 1/pkg
139108	6" UltraClean® Needle	50/case 1/pkg
139025EXT	6" UltraClean® Needle with Extended Insulation	50/case 1/pkg



Disposable Stainless Steel Needles		Single Use; Sterile
Product No.	Description	Packaging
138102	Needle Electrode with Hex Hub	40/case 1/pkg
138105	Needle Electrode with Extended Insulation; Hex Hub	40/case 1/pkg
138108	6" Needle Electrode with Hex Hub	40/case 1/pkg
138025	6" ENT Needle Electrode with Extended Insulation	40/case 1/pkg



Disposable Stainless Steel Balls		Single Use; Sterile
Product No.	Description	Packaging
138103	Ball, 3/16" diameter, with Hex Hub	40/case 1/pkg
60-5181-101	Ball, 2mm diameter, 10cm shaft	5/case 1/pkg
60-5181-102	Ball, 3mm diameter, 10cm shaft	5/case 1/pkg
60-5181-103	Ball, 5mm diameter, 10cm shaft	5/case 1/pkg



Disposable Loops		Single Use; Sterile
Product No.	Description	Packaging
60-5180-101	Loop Excision Electrode, "T" Style, 12x8mm	5/case 1/pkg
60-5180-102	Loop Excision Electrode, "T" Style, 15x10mm	5/case 1/pkg
60-5180-104	Loop Excision Electrode, "T" Style, 20x10mm	5/case 1/pkg




## Reusable Electrodes

Reusable Blades		Non-Sterile
Product No.	Description	Packaging
60-0869-001	Straight Blade Electrode, 1" (2.54cm) length; Hex Hub	6/case 1/pkg
138000	Blade Electrode, 7/8" (2.22cm), 2.9" (7.37cm) overall length; Hex Hub	10/case 1/pkg
138001	Blade Electrode, 15° angled, 7/8" (2.22cm), 2.5" (6.35cm) overall length; Hex Hub	5/case 1/pkg
60-0629-001	Extended Blade Electrode, 6" (152mm)	6/case 1/pkg




Reusable Needles		Non-Sterile
Product No.	Description	Packaging
60-0860-001	Needle Electrode, Fine; Hex Hub	6/case 1/pkg
60-0861-001	Needle Electrode, Course; Hex Hub	6/case 1/pkg
60-0862-001	Needle Electrode, Blunt; Hex Hub	6/case 1/pkg

Reusable Loops and Conization		Non-Sterile
Product No.	Description	Packaging
60-0867-001	Round Loop Electrode, 3/8" (0.95cm) diameter	6/case 1/pkg
138010	Round Loop Electrode for cutting and biopsies, 3/8" (0.95cm) diameter, 2" (5.08cm) overall length	5/case 1/pkg
138011	Round Loop Electrode for cutting and biopsies, 1/4" (0.64cm) diameter, 1 3/4" (4.45cm) overall length	5/case 1/pkg
138012	Round Loop Electrode for cutting, 3/4" (1.91cm) diameter, 2.1" (5.33cm) overall length	5/case 1/pkg
138007	Small 1/8" (0.32cm) conization	1 each
138008	Medium 1/4" (.064cm) conization	1 each
138009	Large 5/16" (0.79cm) conization	1 each




Reusable Extender		Non-Sterile
Product No.	Description	Packaging
138026	Straight Electrode Extender, 5" (12.7cm)	5/case 1/pkg

138029



Tip Cleaner		Single Use; Sterile
Product No.	Description	Packaging
138029	Tip Cleaner	40/case 1/pkg



130188

Coagulator Tip


Suction Coagulators		Single Use; Sterile
Product No.	Description	Packaging
130187	Suction Coagulator, Foot Control 10 French, 6" (152mm), Monopolar	25/case 1/pkg
130188	Suction Coagulator, Hand Control 10 French, 6" (152 mm), Monopolar	25/case 1/pkg

# Dispersive Electrodes

## SureFit™ Dispersive Electrode

Exceptional quality and value.

- For patients from 4.4 lbs (2.2 kg)
- Pull tab for nurses to use to remove the pad from the patient
- Adhesive border helps to prevent fluid intrusion



410-2000

SureFit™ Dual Dispersive Electrodes		Single Use; Non-Sterile
Product No.	Description	Packaging
410-2000	Dual Dispersive 10' (3.05m) Cable	100/case 25/box 1/pkg
410-2100	Dual Dispersive 15' (4.57m) Cable	100/case 25/box 1/pkg
410-2400	Dual Dispersive No Cable (Use Reusable Cable T229 - pg. 21)	100/case 1/pkg
410-2200	Dual Dispersive, Re-sealable 5-pack Pouch No Cable (Use Reusable Cable T229 - pg. 21)	100/case 5/pkg

## MacroLyte® Dispersive Electrode

Economical and comfortable.

- Adhesive Hydrogel
- Premie and infant sizes available
- Scalloped edges aid in patient comfort



425-2508

MacroLyte® Dual Dispersive Electrodes		Single Use; Non-Sterile
Product No.	Description	Packaging
425-2508	Pediatric Dual Dispersive (for patients 5-15 kg) 10' (3.05m) Cable	100/case 25/box 1/pkg
425-2801	Pediatric Dual Dispersive (for patients 5-15 kg) No Cable (Use Reusable Cable T229 - pg. 21)	100/case 25/box 1/pkg

MacroLyte® Single Dispersive Electrodes		Single Use; Non-Sterile
Product No	Description	Packaging
400-2100	Adult Single Dispersive (for patients >15 kg) 10' (3.05m) Cable	100/case 25/box 1/pkg
400-2349	Adult Single Dispersive (for patients >15 kg) No Cable (Use Reusable Cable T228 - pg. 21)	100/case 50/box 1/pkg
400-2700	Adult Single Dispersive (for patients >15 kg) Re-sealable 5-pack Pouch No Cable (Use Reusable Cable T228 - pg. 21)	100/case 20/box 5/pkg
425-2200	Pediatric Single Dispersive (for patients 5-15 kg) 10' (3.05m) Cable	100/case 25/box 1/pkg
425-2725	Pediatric Single Dispersive (for patients 5-15 kg) No Cable (Use Reusable Cable T228 - pg. 21)	100/case 50/box 1/pkg
450-2300	Infant Single Dispersive (for patients 5-15 kg) 10' (3.05m) Cable	60/case 15/box 1/pkg
440-2400	Premie Single Dispersive (for patients <5 kg) 10' (3.05m) Cable	40/case 10/box 1/pkg




450-2300

## ThermoGard® Dispersive Electrode

Optimal safety and comfort

- Thick blue gel is extra gentle to the skin
- Provides optimal convenience and safety
- Adult and pediatric sizes available




51-7310

ThermoGard® Dual Dispersive Electrodes			Single Use; Non-Sterile
Product No.	Description	Packaging	
51-7310	Adult ThermoGard® Dual Dispersive (for patients >15 kg) 10' (3.05m) Cable	80/case	10/box 1/pkg
51-7410	Adult ThermoGard® Dual Dispersive (for patients >15 kg) No Cable ( <a href="#">Use Reusable Cable T229 - pg. 21</a> )	80/case	10/box 1/pkg
51-7710	Pediatric ThermoGard® Dual Dispersive (for patients 5-15 kg) 10' (3.05m) Cable	80/case	10/box 1/pkg

ThermoGard® Single Dispersive Electrodes			Single Use; Non-Sterile
Product No.	Description	Packaging	
51-7810	Adult ThermoGard® Single Dispersive (for patients >15 kg) 10' (3.05m) Cable	80/case	10/box 1/pkg
51-7910	Pediatric ThermoGard® Single Dispersive (for patients 5-15 kg) 10' (3.05m) Cable	80/case	10/box 1/pkg

## For use with the Argon Beam Coagulation (ABC®) ESU



ThermoGard® Plus ABC® Dual Dispersive Electrodes			Single Use; Non-Sterile
Product No.	Description	Packaging	
7-382	Adult Dual Dispersive (for patients >15 kg), use with the Birtcher Pad Sensing System (PSS) on the Birtcher Systems 6000, 6400, 6500 and ConMed Systems 7500 and 7550 ABC® generators or conventional electrocautery units with similar contact quality monitoring systems. 10' (3.05m) Cable	40/case	10/box 1/pkg
7-383	Pediatric Dual Dispersive (for patients 5-15 kg), use with the Birtcher Pad Sensing System (PSS) on the Birtcher Systems 6000, 6400, 6500 and ConMed Systems 7500 and 7550 ABC® generators or conventional electrocautery units with similar contact quality monitoring systems. 10' (3.05m) Cable	40/case	10/box 1/pkg

ThermoGard® Plus ABC® Single Dispersive Electrodes			Single Use; Non-Sterile
Product No.	Description	Packaging	
7-384	Adult Single Dispersive (for patients >15 kg) 10' (3.05m) Cable	40/case	10/box 1/pkg

# Dispersive Electrodes



60-0136-001

Reusable Dispersive Electrodes		Non-Sterile
Product No.	Description	Packaging
60-0136-001	Adult Reusable Patient Plate Stainless Steel, 63 sq. in. (406.48 sq. cm) <i>(Use Reusable Cable 60-0137-001 or 60-5806-001 - below)</i>	1 each
60-0136-002	Pediatric Reusable Patient Plate Stainless Steel, 35 sq. in. (225.82 sq. cm). <i>(Use Reusable Cable 60-0137-001 or 60-5806-001 - below)</i>	1 each



60-0137-001



60-5806-001


Reusable Cables (for use with reusable dispersive electrodes)		Non-Sterile
Product No.	Description	Packaging
60-0137-001	2-wire cable for 60-0136-001 and 60-0136-002 patient plates above. For use with Aspen, Neomed, BARD EMS 771, 737 and 737XL and Ritter Electrosurgical Units 10' (3.05m) Cable	1 each
60-5806-001	2-wire cable for 60-0136-001 and 60-0136-002 patient plates above. For use with ConMed Sabre® 180, Sabre® 2400, Excalibur, Excalibur Plus, Excalibur Plus PC®, System 2450™ and System 5000™ Electrosurgical Units 10' (3.05m) Cable	1 each

Conductive Gel (for use with reusable dispersive electrodes)		Non-Sterile
Product No.	Description	Packaging
60-0641-001	ASPENGEL Conductive Gel, Nonstaining 8.45 fluid ounce	12/case 1/pkg






60-0641-001

## Dispersive Electrode Cables




Cables for Dispersive Electrodes		Reusable; Non-Sterile
Product No.	Description	Packaging
T210	Cable for use with Erbe and Elmed generators 10' (3.05m)	1 each
T229	Cable for use with all ARM-equipped and Valleylab REM-equipped generators. Enables pad-to-patient contact quality monitoring 10' (3.05m)	1 each
T229-5M	Cable for use with all ARM-equipped and Valleylab REM-equipped generators. Enables pad-to-patient contact quality monitoring 15' (4.57m)	1 each
T228	Cable for use with single dispersive electrodes and non-contact quality monitoring generators 10' (3.05m)	1 each
T235	Cable for use with ConMed System 6500 and System 7500* ABC* 10' (3.05m)	1 each
T238	Cable for use with all ARM-equipped and Valleylab REM-equipped generators. Use with the System 6400. Enables pad-to-patient contact quality monitoring 10' (3.05m)	1 each

## Dispersive Electrode Adapters



Adapters and Cables for Dispersive Electrodes		Reusable; Non-Sterile
Product No.	Description	Packaging
60-8031-001	Dispersive Electrode Adapter. Allows connection of two dual-foil dispersive electrodes for all ConMed generators	1 each
B204	Dispersive Electrode Adapter. For use with Valleylab generators without REM (single-foil only); Wallach Leep 100	1 each
B205	Dispersive Electrode Adapter. For use with all Aspen Labs; Birtcher 3000, 4400; Davol/Bard/Birtcher 5000 without PSS; Bicap 60, 200.	1 each
B210	Dispersive Electrode Adapter. For use with Erbe and Elmed generators	1 each

## Dispersive Electrode Adapters (continued)



Adapters for Dispersive Electrodes		Reusable; Non-Sterile
Product No	Description	Packaging
A 238	Dispersive Electrode Adapter. Allows ConMed ABC generators to use Valleylab dual-foil dispersive electrodes	1 each
B 227	Dispersive Electrode Adapter. For use with Ritter Bovie Specialist	1 each
B 260	Dispersive Electrode Adapter. For use with Olympus S-P cables retrofit with ConMed Adapter and ConMed Single Foil Dispersive electrodes	1 each
B 261	Dispersive Electrode Adapter. For use with Olympus Adapter for use with Olympus S-P cables retrofit with Aspen BIOPLUS Adapter and ConMed Single Foil Dispersive Electrodes	1 each





**AER DEFENSE™**

## AER DEFENSE™ Smoke Evacuation System

The AER DEFENSE™ Smoke Evacuator is ConMed's surgical smoke evacuation system intended to remove smoke, aerosols and noxious odors produced during electrosurgical procedures. The AER DEFENSE™ offers:

- Four different modes of operation—making it the most versatile smoke evacuator on the market
- 11% (7dBA) quieter than our previous model
- The ULPA-grade filter is 99.9995% efficiency at 0.1 micron particle size
- Filter life of up to 35 hours

The AER DEFENSE™ coupled with the ConMed GoldVac™ Smoke Evacuation Pencil provides an exceptional combination to protect your staff and patients from the hazards of surgical smoke in the OR.

AER DEFENSE™ Smoke Evacuator		
Product No.	Description	Packaging
60-8080-120	AER DEFENSE™ Smoke Evacuator, 100V-120V, Includes AC Power Cord, 4' ESU Activation Cable, and Operator's Manual. Filters sold separately (uses 60-8084-001 FilterOne™ filter)	1 each
60-8080-230	AER DEFENSE™ Smoke Evacuator, 220V-240V, Includes 4' ESU Activation Cable. Filters sold separately (uses 60-8084-001 FilterOne™ filter)	1 each



60-8080-120



60-8084-001



62-5626-004



60-8081-ENG  
60-8082-ENG

AER DEFENSE™ Accessories		
Product No.	Description	Packaging
60-8084-001	AER DEFENSE™ FilterOne™ ULPA rated	2/case 1/pkg
60-8083-001	AER DEFENSE™ Pneumatic Footswitch (not shown)	1 each
62-5626-004	AER DEFENSE™ 4' ESU Activation Cable	1 each
62-5626-005	AER DEFENSE™ 10' ESU Activation Cable	1 each
62-5862-001	AER DEFENSE™ AC Power Cord (not shown)	1 each
62-7878-001	AER DEFENSE™ Adapter Cable for Excalibur Plus PC® and Sabre 2400® ESUs (not shown)	1 each
60-8081-ENG	AER DEFENSE™ Operator's Manual	1 each
60-8082-ENG	AER DEFENSE™ Service Manual	1 each



AER DEFENSE™ FilterOne™



System 1200™ SmartFilter®



ConMed® 1000 SES Filter



AspenVac Filter


Smoke Replacement Filters		Reusable; Non-Sterile
Product No.	Description	Packaging
60-8084-001	AER DEFENSE™ FilterOne™ ULPA rated	2/case 1/pkg
60-8055-001	System 1200™ SmartFilter® ULPA rated	2/case 1/pkg
60-6875-001	Filter Cartridges for ConMed® 1000 SES	2/case 1/pkg
60-5902-001	AspenVac ULPA/Charcoal Filters	2/case 1/pkg

## GoldVac™ Smoke Evacuation Pencil


The GoldVac™ Smoke Evacuation Pencil allows the surgeon to position the smoke elimination tube anywhere along the active electrode. The tube can be positioned near the electrode tip for maximum smoke removal or farther back for maximum accessibility and visibility.

GoldVac™ Pencils offer:

- Low profile for ergonomic comfort
- Cord set housed within the tubing to eliminate clutter at the surgical site
- Swivel allows the tubing to rotate for maximum range of motion in wrist
- Extendable smoke tube to 6 inches
- Plastic drape clip to relieve the pull from tubing



GoldVac™ Smoke Evacuation Pencils with 1" UltraClean® Blades		Single Use; Sterile
Product No.	Description	Packaging
60-7510-005	GoldVac™ Push Button Smoke Evacuation Pencil, 10' Tubing	10/case 1/pkg
60-7520-005	GoldVac™ Rocker Switch Smoke Evacuation Pencil, 10' Tubing	10/case 1/pkg
60-7530-005	GoldVac™ Foot Control Smoke Evacuation Pencil, 10' Tubing	10/case 1/pkg
60-7570-005	GoldVac™ Push Button Smoke Evacuation Pencil, 15' Tubing	10/case 1/pkg
60-7580-005	GoldVac™ Rocker Switch Smoke Evacuation Pencil, 15' Tubing	10/case 1/pkg



GoldVac™ UltraClean® Electrodes		Single Use; Sterile
Product No.	Description	Packaging
60-7524-001	4" GoldVac™ UltraClean® Blade	25/case 1 pkg
60-7526-001	6" GoldVac™ UltraClean® Blade	25/case 1 pkg
60-7521-001	1" GoldVac™ UltraClean® Blade with Extended Insulation	25/case 1 pkg
60-7522-001	4" GoldVac™ UltraClean® Blade with Extended Insulation	25/case 1 pkg
60-7523-001	6" GoldVac™ UltraClean® Blade with Extended Insulation	25/case 1 pkg

# Smoke Plume Management



## ClearVac® Smoke Pencils



60-6828-005A



ClearVac® Smoke Pencil with tubing set

Control Type	Blade Type	Switch Type	Electrode	Cable Length and Accessories	Packaging	Product No.
ClearVac® Disposable Hand Control Smoke Pencils	UltraClean® Disposable Blade	GoldLine® Push Button	1" UltraClean® Blade	10' (3.05m) Tubing Set, Holster	10/case, 1/pkg	60-6828-005A
		GoldLine® Rocker Switch	1" UltraClean® Blade	10' (3.05m) Tubing Set, Holster	10/case, 1/pkg	60-6829-005A
	Standard Disposable Blade	GoldLine® Push Button	1" Blade	10' (3.05m) Tubing Set, Holster	10/case, 1/pkg	60-6828-001A
		GoldLine® Rocker Switch	1" Blade	10' (3.05m) Tubing Set, Holster	10/case, 1/pkg	60-6829-001A

ClearVac® Disposable Foot Control Smoke Pencil	UltraClean® Disposable Blade	GoldLine® 1" UltraClean® Blade	10' (3.05m) Tubing Set, Holster	10/case, 1/pkg	138663A
--	------------------------------	--------------------------------	---------------------------------	----------------	---------

ClearVac® Disposable Smoke Pencil Accessories	ClearVac® Electrosurgical Pencil Smoke Attachment with 12" of 10mm Tubing 5-in-1 Adapter Single Use; Sterile		25/case, 1/pkg	60-6827-001A
	ClearVac® Electrosurgical Smoke Evacuation Handpiece Attachment with 4' of 10mm tubing and 6' of 22mm tubing Single Use; Sterile		10/case, 1/pkg	60-6839-001A



7/8" Diameter Tubing




Laparoscopic Tubing



LEEP Tubing

Smoke Evacuation Tubing		
Product No.	Description	Packaging
60-6805-001	Hand-held Smoke Evacuation Tubing, 6' (1.8m), 7/8" diameter Single use; Sterile	5/case 1/pkg
60-6810-001	Laparoscopic Smoke Evacuation Tubing Set, 10' (3.05m) 1/4" diameter with luer lock Single use; Sterile	5/case 1/pkg
60-6815-001	LEEP Tubing Set, 10' (3.05m) Non-sterile	5/case 1/pkg

## Smoke Plume Accessories



Adapters		
Product No.	Description	Packaging
60-6840-001	Reducer Adapter 7/8 to 1/4"	12/case 1/pkg
60-6841-001	Reducer Adapter 1-3/8" to 7/8"	5/case 1/pkg
60-8054-001	Y Adapter connects 2 GoldVac™ or ClearVac® attachments to Smoke Evacuation Filter (AER DEFENSE™ or System 1200™)	5/case 1/pkg
60-7509-001	GoldVac™ Adapter for Stryker® Neptune® 2 Filter; Single Use	12/case 1/pkg
60-7507-001	GoldVac™ Adapter for Valleylab™ and Buffalo Filter®; Single Use	12/case 1/pkg
60-7508-001	GoldVac™ Adapter for IC Medical, and MegaDyne; Reusable	1 each



Vacuum Control Assembly	
Product No.	Packaging
60-8056-001	1 each

Smoke Accessories Baskets		
Product No.	Description	Packaging
60-8041-001	System 5000™ Mobile Pedestal Saddlebag Lower Basket for use with the AER DEFENSE™ and System 1200™ Smoke Evacuator Units	1 each
60-5678-001	Smoke Accessories Basket for use with Universal Cart (60-5480-001) and System 2450™ Cart (60-7152-001)	1 each

### System 1200™ Smoke Evacuator Accessories

Remote Switch Activator (System 1200™ only)		
Remote Switch Activator for simultaneous activation of System 1200™ with any ESU that emits tone (ESU sold separately)		
Product No.	Description	Packaging
60-8062-001	Remote Switch with 4' Cable	1 each
60-8062-002	Remote Switch with 10' Cable	1 each
Interconnect Cable (System 1200™ only)		
Interconnect Cable for System 1200™ Smoke Evacuator for use with System 5000™ ESU		
Product No.	Packaging	
60-8058-001	1 each	
Pneumatic Footswitch (System 1200™ only)		
Product No.	Packaging	
60-8057-001	1 each	
Service and Operation Manual (System 1200™ only)		
Product No.	Description	Packaging
60-8051-ENG	Operator's Manual	1 each
60-8052-ENG	Service Manual	1 each

## Foot Control Bipolar Forceps

Foot Control Bipolar Forceps —Bayonet						Reusable; Non-Sterile
Product No.	Description	Length	Tip	Insulation	Packaging	
60-1765-001	Scoville-Greenwood Bayonet	7¾" (19.7cm)	1.5mm	Yes	1 each	
136015	Scoville-Greenwood Bayonet	7¾" (19.7cm)	1.5mm	No	1 each	
60-1769-001	Cushing Bayonet, Micro Tip	7½" (19.1cm)	0.7mm	Yes	1 each	
60-1770-001	Hardy Bayonet, Micro Tip with Stops	8¾" (21.0cm)	0.5mm	No	1 each	
60-7400-001	Bayonet, Straight	20cm	2.0mm	Yes	1 each	
60-7401-001	Bayonet, Straight	20cm	1.0mm	Yes	1 each	
60-7402-001	Bayonet, Straight	22cm	0.5mm	Yes	1 each	

Foot Control Bipolar Forceps —Jewelers						Reusable; Non-Sterile
Product No.	Description	Length	Tip	Insulation	Packaging	
60-1766-001	Jewelers Micro Tip, Curved	4" (10.2cm)	0.4mm	Yes	1 each	
60-1767-001	Jewelers Micro Tip, Straight	4" (10.2cm)	0.4mm	Yes	1 each	
136010	Jewelers Micro Tip, Straight	4" (10.2cm)	0.4mm	No	1 each	
136011	Jewelers Micro Tip, Curved	4" (10.2cm)	0.4mm	No	1 each	
60-7403-001	Jewelers, Straight	11cm	0.5mm	Yes	1 each	


Foot Control Bipolar Forceps —Semkin						Reusable; Non-Sterile
Product No.	Description	Length	Tip	Insulation	Packaging	
60-1771-001	Semkin, Micro Tip with Stops	5½" (14.0cm)	0.7mm	No	1 each	
60-1772-001	Semkin, Straight	6" (15.2cm)	1.5mm	Yes	1 each	

Foot Control Bipolar Forceps —Adson						Reusable; Non-Sterile
Product No.	Description	Length	Tip	Insulation	Packaging	
60-1768-001	Adson, Straight	5" (12.7cm)	1.0mm	Yes	1 each	
60-7404-001	Adson, Straight	13cm	1.0mm	Yes	1 each	

Foot Control Bipolar Forceps —Iris						Reusable; Non-Sterile
Product No.	Description	Length	Tip	Insulation	Packaging	
60-1773-001	Iris, Straight	3½" (8.9cm)	0.4mm	Yes	1 each	
60-1774-001	Iris, Curved	3½" (8.9cm)	0.5mm	Yes	1 each	

Foot Control Bipolar Forceps —Omni						Reusable; Non-Sterile
Product No.	Description	Length	Tip	Insulation	Packaging	
136000	Omni, Straight with Stops, Diamond Pattern, Round Handle	6" (15.2cm)	0.7mm	No	1 each	
136001	Omni, Curved with Stops, Diamond Pattern, Round Handle	6" (15.2cm)	0.7mm	No	1 each	


Foot Control Bipolar Forceps —Straight						Reusable; Non-Sterile
Product No.	Description	Length	Tip	Insulation	Packaging	
136016	Cushing, Straight	7" (17.8cm)	1.5mm	No	1 each	
60-7405-001	Straight	14cm	2.0mm	Yes	1 each	




60-1765-001




136011



60-1772-001




60-1774-001



136016


## Hand Control Bipolar Forceps

Hand Control Bipolar Forceps				Reusable; Non-Sterile	
Product No.	Description	Length	Tip	Insulation	Packaging
60-5120-001	Cushing Bayonet	7½" (19.1cm)	0.7mm	Yes	1 each
60-5121-001	Scoville-Greenwood Bayonet	7¾" (19.7cm)	1.5mm	Yes	1 each
60-5122-001	Jewelers, Straight Tip	4" (10.2cm)	0.4mm	Yes	1 each
60-5123-001	Semkin, Micro Tip	5½" (14.0cm)	0.7mm	Yes	1 each



## Foot Control Monopolar Forceps

Foot Control Monopolar Forceps				Reusable; Non-Sterile	
Product No.	Description	Length	Tip	Insulation	Packaging
60-0817-001	Bayonet, Straight Tip with Cable	7" (17.8cm)	2.0mm	Yes	1 each
60-0819-001	Bayonet, Straight Tip with Cable	8" (20.3cm)	2.0mm	Yes	1 each
60-0821-001	Potts-Smith, Straight Tip with Cable	7" (17.8cm)	2.0mm </td <td>Yes</td> <td>1 each</td>	Yes	1 each



## Hand Control Monopolar Forceps

Hand Control Monopolar Forceps				Reusable; Non-Sterile	
Product No.	Description	Length	Tip	Insulation	Packaging
60-0810-001	Bayonet, Straight Tip with Cable	5¾" (13.3cm)	2.0mm	Yes	1 each
60-0812-001	Bayonet, Straight Tip with Cable	7½" (19.1cm)	2.0mm	Yes	1 each



60-0823-001

<b>Active Instrument Adapter-Monopolar</b> Reusable; Non-Sterile	
Adapter for foot control monopolar accessories; fits Bovie #12 type output sockets	
<b>Product No.</b>	<b>Packaging</b>
60-0823-001	1 each



60-6790-001

<b>Active Instrument Adapter-Monopolar</b> Reusable; Non-Sterile	
Universal Adapter for foot control monopolar accessories; fits Bovie #12 type output sockets	
<b>Product No.</b>	<b>Packaging</b>
60-6790-001	1 each



133001

<b>Active Instrument Adapter-Bipolar</b> Reusable; Non-Sterile	
Coaxial Bipolar Adapter, for use with ConMed Excalibur Plus PC®, Sabre® 2400, Sabre® 180, System 7500® and 7550™	
<b>Product No.</b>	<b>Packaging</b>
133001	1 each




133002


<b>Active Instrument Adapter-Bipolar</b> Reusable; Non-Sterile	
Coaxial Bipolar Adapter, for use with ConMed System 2450™, System 5000™, and Valleylab electro-surgical units	
<b>Product No.</b>	<b>Packaging</b>
133002	1 each




60-5102-002



135166



60-2121-001



135171

## Disposable Cables

Disposable Cables		Single Use; Sterile
Product No.	Description	Packaging
60-5102-002	Disposable Footswitching Bipolar Cable, 10' (3.05m) Use with most standardized generators	10/case 1/pkg
135166	Disposable Footswitching Bipolar Forceps Cable, 12' (3.66m) Use with most standardized generators	40/case 1/pkg
60-2121-001	Disposable Monopolar TUR/Endoscopic Cable for ACMI, 10' (3.05m)	50/case 1/pkg
135171	Disposable TUR Cable, 10' (3.05m)	40/case 1/pkg





60-0845-001



60-5130-001



60-5132-001



Q1-2301



60-0816-001



60-0824-001

## Reusable Cables

Reusable Cables		Reusable; Non-Sterile
Product No.	Description	Packaging
60-0845-001	Reusable Footswitching Bipolar Forceps Cable, 12' (3.66m) Use with most standardized generators	1 each
60-5130-001	Reusable Handswitching Bipolar Forceps Cable, 12' (3.66m) Use with the BISTAT™, Sabre® 2400, Excalibur®, System 6500™, and System 7500®/7550™	1 each
60-5132-001	Reusable Handswitching Bipolar Forceps Cable, 12' (3.66m) Use with the ConMed® System 2450™ and System 5000™	1 each
Q1-2301	Reusable Footswitching Bipolar Forceps Cable, 10' (3.05m) Use with Wolf Kleppinger forceps Twin banana plug machine connectors	1 each
60-0816-001	Reusable Monopolar TUR Cable with Standard (Bovie #12) Plug	1 each
60-0824-001	Reusable Footswitching Monopolar Forceps Cable with threaded male connector, 10' (3.05m)	1 each

## Instructor-Led Continuing Education Courses



### The Pathway to Electrosurgical Patient Safety

1 Contact Hour

Contact your local ConMed Territory Manager for more information

The purpose of this continuing education seminar is to provide perioperative nurses and other healthcare professionals information on patient safety during electrosurgical procedures. Fundamental principles of electricity and electrosurgery are addressed, which guides the discussion towards the significance of creating a safe surgical environment and how to prevent potential hazards. The knowledge acquired should allow participants to provide quality patient care. After completing this educational program, participants should be able to:

- Discuss the basics of electricity
- Discuss the principles of electrosurgery
- Describe safety measures to be taken when providing patient safety during electrosurgical procedures
- Identify key factors you must consider when using electrosurgical medical devices



### Argon Beam Coagulation: Patient Benefits and Safety

1 Contact Hour

Contact your local ConMed Territory Manager for more information

This continuing education seminar has been designed for perioperative nurses and other health care personnel who are responsible for patient care during surgical procedures which incorporate ABC<sup>®</sup> technology. An explanation of argon gas, its chemical makeup, and the advantages it brings to hemostasis and surgical wound management will be presented. Participants will be able to differentiate ABC<sup>®</sup> enhanced electrosurgery from argon laser technology. Patient and personnel safety is discussed in-depth. After completing this educational program, participants should be able to:

- Explain the basic scientific principles of Argon Beam Coagulation technology
- Describe the tissue effects derived from ABC<sup>®</sup> applications
- Differentiate the benefits of ABC<sup>®</sup> technology from conventional ESU
- Discuss the safety aspects related to patient care and device operations and applications


### Operating Room Fire Safety

1 Contact Hour

Contact your local ConMed Territory Manager for more information

The purpose of this continuing education seminar is to educate perioperative personnel on operating room fire safety. The risks of surgical fires may never be eliminated completely, but they can be minimized by educating personnel, carefully investigating each incident and reporting fires when they occur. This educational activity describes the elements of the fire triangle- ignition sources, fuels and oxidizers that are always present in the operating room. After completing this educational program, participants should be able to:

- List the elements of the fire triangle that are always present in the operating room
- Explain how to minimize the risk of surgical fires by controlling the elements of the fire triangle
- Describe the steps that must be taken in the unlikely event of a surgical fire



### Surgical Smoke: Avoiding the Risks

1 Contact Hour

Contact your local ConMed Territory Manager for more information

The purpose of this continuing education seminar is to acquaint perioperative nurses and other members of the surgical team with the risks associated with surgical smoke plume. Research has demonstrated that annually 500,000 surgical team members are exposed to airborne contamination from surgical smoke. Frequently, patients are exposed to these same potential contaminants. After completing this educational program, participants should be able to:

- Describe the content of surgical smoke plume
- Discuss the hazards posed by surgical smoke
- Compare surgical smoke to cigarette smoke
- Discuss potential diseases that can occur from plume transmission
- Discuss methods used to reduce surgical smoke



## Instructor-Led Biomedical Technical Training

In an effort to educate customers on our generators, ConMed Electrosurgery offers Electrosurgical Technical Training in beautiful Denver, Colorado. This training is designed for biomedical professionals who are responsible for installation, maintenance, and troubleshooting ConMed's electrosurgical generators. This 3-day event offers instruction on the technology, service, and repair of electrosurgical and argon beam coagulation units in a classroom environment, as well as at hands-on learning stations. Training is offered three/four times per year. For a class schedule or more information, please contact your local ConMed Territory Manager or call 303-699-7600 ext. 5209.

## Continuing Education Self-Paced Study Guides

### Electrosurgical Patient Safety: An Independent Learning Activity

2 Contact Hours

Contact your local ConMed Territory Manager for more information

The purpose of this self-instructional study guide is to provide perioperative nurses and other healthcare professionals with the basic knowledge and skills necessary for the safe use of electrosurgical equipment. The knowledge acquired should allow participants to provide quality patient care. After completing this educational program, participants should be able to:

- Explain what electricity is and the application of electrical properties to electrosurgery
- Describe how electrosurgical devices work and what effects the application of electrosurgical energy has on body tissue
- List preoperative, intraoperative, and postoperative safety measures that can be taken by the perioperative nurse to ensure that patients will have no adverse effects related to the application of electrosurgical energy
- Discuss electrosurgical hazards and safety measures that are unique to minimally invasive surgical procedures and to patients with cardiac pacemakers
- State how electrosurgical safety considerations relate to the five steps in the nursing process


### Avoiding the Hazards of Surgical Smoke: An Independent Learning Activity

2 Contact Hours

Contact your local ConMed Territory Manager for more information

The purpose of this self-instructional study guide is to acquaint perioperative personnel with the hazards inherent to exposure to surgical smoke and aerosol and measures that can be taken to minimize this hazard. The generation of surgical smoke by lasers, electrosurgery, and powered surgical instruments is discussed. Regulations and agency recommendations that relate to the use of smoke evacuation systems are listed. Factors to be taken into consideration when choosing the smoke evacuation system are explored. After completing this educational program, participants should be able to:

- Identify hazardous by-products of surgical plume
- Discuss the potential adverse effects of surgical plume
- Describe the safety precautions available to reduce exposure to surgical plume
- Describe the types of smoke evacuation systems
- List factors to be taken into account when purchasing a smoke evacuation system



Product No.	Product Description	Page #
130142	Disposable Footswitch Covers	8
130146	ABC® Footswitch	8
130187	Suction Coagulator; Foot Control; 10 French; 6" (152mm); Monopolar	17
130188	Suction Coagulator; Hand Control; 10 French; 6" (152mm); Monopolar	17
130301A	GoldLine® Hand Control Electrosurgical Pencil with Rocker Switch, Needle Electrode, Safety Holster and 10' (3.05m) Cable	12
130302A	GoldLine® Hand Control Electrosurgical Pencil with Push Button, Needle Electrode, Safety Holster and 10' (3.05m) Cable	12
130303A	GoldLine® Hand Control Electrosurgical Pencil with Push Button, Blade Electrode, Safety Holster, Tip Cleaner and 10' (3.05m) Cable	12
130304A	GoldLine® Hand Control Electrosurgical Pencil with Rocker Switch, Blade Electrode, Safety Holster, Tip Cleaner and 10' (3.05m) Cable	12
130307A	GoldLine® Hand Control Electrosurgical Pencil with Rocker Switch, Blade Electrode, Safety Holster and 10' (3.05m) Cable	12
130309A	GoldLine® Hand Control Electrosurgical Pencil with Push Button, Blade Electrode, Safety Holster and 10' (3.05m) Cable	12
130316	Hand Control Electrosurgical Pencil with Rocker Switch, Blade Electrode and 10' (3.05m) Double Insulated Silicone Cable; Reusable	13
130316-15	Hand Control Electrosurgical Pencil with Rocker Switch, Blade Electrode and 15' (4.57m) Double Insulated Silicone Cable; Reusable	13
130317	Hand Control Electrosurgical Pencil with Push Button, Blade Electrode and 10' (3.05m) Double Insulated Silicone Cable; Reusable	13
130317-15	Hand Control Electrosurgical Pencil with Push Button, Blade Electrode and 15' (4.57m) Double Insulated Silicone Cable; Reusable	13
130321	Triple Option Hand Control Handpiece with 10' (3.05m) Cable	10
130342	Foot Control Laparoscopic 10mm ABC® Probe with 10' (3.05m) Cable; 28cm working length	11
130343	ABC® Nozzle for use with the Reusable ABC® Handpiece (130500); Single Use	11
130344	Single Function Hand Control Handpiece with 10' (3.05m) Cable	10
130345	ABC® Angled (45 degree) Foot Control Handpiece with 10' (3.05cm) Cable	10
130326A	GoldLine® Hand Control Electrosurgical Pencil with Push Button, Blade Electrode, Safety Holster and 15' (4.57m) Cable	12
130327A	GoldLine® Hand Control Electrosurgical Pencil with Rocker Switch, Blade Electrode, Safety Holster and 15' (4.57m) Cable	12
130384	PowerPoint® Plus Hand Control Electrosurgical Pencil with Push Button, Blade Electrode and 15' (4.57m) Cable; Reusable	13
130500	ABC® Foot Control Handpiece with 10' (3.05m) Cable; Reusable	11
131307A	GoldLine® Hand Control Electrosurgical Pencil with Rocker Switch, UltraClean® Blade Electrode, Safety Holster and 10' (3.05m) Cable	12
131309A	GoldLine® Hand Control Electrosurgical Pencil with Push Button, UltraClean® Blade Electrode, Safety Holster and 10' (3.05m) Cable	12
131326A	GoldLine® Hand Control Electrosurgical Pencil with Push Button, UltraClean® Blade Electrode, Safety Holster and 15' (4.57m) Cable	12
131327A	GoldLine® Hand Control Electrosurgical Pencil with Rocker Switch, UltraClean® Blade Electrode, Safety Holster and 15' (4.57m) Cable	12
133001	Coaxial Bipolar Adapter	11, 30
133002	Coaxial Bipolar Adapter for use with the System 5000™	30
134003	Bend-a-Beam® 3" (7.6cm) Single Function Malleable ABC® Hand Control Handpiece with 10' (3.05m) Cable	10
134006	Bend-a-Beam® 6" (15.2cm) Single Function Malleable ABC® Hand Control Handpiece with 10' (3.05m) Cable	10
134009	Bend-a-Beam® 9" (22.8cm) Single Function Malleable ABC® Hand Control Handpiece with 10' (3.05m) Cable	10
135166	Disposable Footswitching Bipolar Forceps Cable; 12' (3.66m); Sterile	31
135171	Disposable TUR Cable; 10' (3.05m)	31
136000	Foot Control Bipolar Forceps; Omni Straight Tips with Stops; Diamond Pattern; Round Handle; 6" (15.2cm), 0.7mm Tip	28
136001	Foot Control Bipolar Forceps; Omni Curved Tips with Stops; Diamond Pattern; Round Handle; 6" (15.2cm), 0.7mm Tip	28
136010	Foot Control Bipolar Forceps; Jewelers; Micro; Straight; 4" (10.2cm), 0.4mm Tip	28
136011	Foot Control Bipolar Forceps; Jewelers; Micro; Curved; 4" (10.2cm), 0.4mm Tip	28
136015	Foot Control Bipolar Forceps; Scoville-Greenwood Bayonet; Uninsulated, 7-3/4" (19.7cm), 1.5mm Tip	28
136016	Foot Control Bipolar Forceps; Cushing Straight; Uninsulated; 7" (17.8cm), 1.5mm Tip	28
136050	Argon Tank, Full	6
136051	Argon Tank, Empty	6
137668	Safety Holster; Disposable	13
138000	7/8" (2.22cm) Blade; 2.9" (7.37cm) overall with Hex Hub	16
138001	7/8" (2.22cm) Blade; 15 degree angled; 2.5" (6.35cm) overall with Hex Hub	16
138007	Conization - Small 1/8" (0.318cm); Reusable	16
138008	Conization - Medium 1/4" (0.635cm); Reusable	16
138009	Conization - Large 5/16" (0.794cm); Reusable	16
138010	Loop Electrode for Cutting and Biopsies, 3/8" (0.95cm); 2" (5.08cm) overall; Reusable	16
138011	Loop Electrode for Cutting and Biopsies, 1/4" (0.64cm); 1.75" (4.45cm) overall; Reusable	16
138012	Loop Electrode for Cutting, 3/4" (1.91cm); 2.1" (5.33cm) overall; Reusable	16
138025	6" ENT Needle Electrode with Extended Insulation	16
138026	Straight Electrode Extender, 5" (12.7cm); Reusable	16
138029	Electrosurgical Tip Cleaner; Single Use	13
138100	Heavy Flat Blade Electrode with Hex Hub	14
138101	Standard Flat Blade Electrode with Hex Hub	14
138102	Needle Electrode with Hex Hub	15

# Numerical Index



Product No.	Product Description	Page #
138103	Ball, 3/16" diameter with Hex Hub	15
138104	Flat Blade Electrode with Extended Insulation and Hex Hub	14
138105	Needle Electrode with Extended Insulation and Hex Hub	15
138107	6" Flat Blade Electrode with Hex Hub	14
138108	6" Needle Electrode with Hex Hub	15
138110	6" Flat Blade Electrode with Extended Insulation and Hex Hub	14
138112	4" Flat Blade Electrode with Hex Hub	14
138113	3-1/2" Flat Blade Electrode with Hex Hub	14
138114A	Hand Control Electrosurgical Pencil with Push Button, Extended Standard Blade and 10' (3.05m) Cable	12
138115A	Hand Control Electrosurgical Pencil with Rocker Switch, Extended Standard Blade and 10' (3.05m) Cable	12
138504	Tungsten MicroNeedle, 5cm, 45 degree angle	14
138504-10	Tungsten MicroNeedle, 5cm, 45 degree angle	14
138505	Tungsten MicroNeedle, 3cm, straight	14
138505-10	Tungsten MicroNeedle, 3cm, straight	14
138506	Tungsten MicroNeedle, 4cm, straight	14
138506-10	Tungsten MicroNeedle, 4cm, straight	14
138650A	GoldLine® Foot Control Electrosurgical Pencil; UltraClean® Blade Electrode; Safety Holster and 10' (3.05m) Cable	12
138652A	GoldLine® Foot Control Electrosurgical Pencil, Needle Electrode, Safety Holster and 10' (3.05m) Cable	12
138655-15A	GoldLine® Foot Control Electrosurgical Pencil, Blade Electrode and 15' (4.57m) Cable	12
138659A	GoldLine® Foot Control Electrosurgical Pencil, Blade Electrode, Safety Holster and 10' (3.05m) Cable	12
138663A	ClearVac® Smoke Evacuation Tubing with Foot Control Pencil and UltraClean® Blade	26
139025EXT	6" UltraClean® Needle with Extended Insulation; Single Use	15
139100	1" UltraClean® Blade; Single Use	14
139102	1" UltraClean® Needle; Single Use	15
139104EXT	1" UltraClean® Blade with Extended Insulation; Single Use	14
139105EXT	1" UltraClean® Needle with Extended Insulation; Single Use	15
139107	6" UltraClean® Blade; Single Use	14
139108	6" UltraClean® Needle; Single Use	15
139110EXT	6" UltraClean® Blade with Extended Insulation; Single Use	14
139112	4" UltraClean® Blade; Single Use	14
139112EXT	4" UltraClean® Blade with Extended Insulation; Single Use	14
139321	1" UltraClean® Blade for ABC® Triple Option Handpiece; Single Use	10, 14
139330	ABC® Dissecting Blade Electrode; Single Use	10
139331	ABC® Dissecting Blunt Needle Electrode; Single Use	10
160636	Hand Control Laparoscopic 5mm ABC® Probe with 10' (3.05m) Cable; 36cm working length	11
160644	Hand Control Laparoscopic 5mm ABC® Probe with 10' (3.05m) Cable; 44cm working length	11
160655	Foot Control Laparoscopic 5mm ABC® Probe with 10' (3.05m) Cable; 28cm working length	11
160656	Hand Control Laparoscopic 5mm ABC® Probe with 10' (3.05m) Cable; 28cm working length	11
400-2100	MacroLyte® Adult Single Dispersive Electrode with 10' (3.05m) Cable; Single Use	18
400-2349	MacroLyte® Adult Single Dispersive Electrode without Cable; Single Use	18
400-2700	MacroLyte® Adult Single Dispersive Electrode without Cable; Single Use; Re-sealable 5-Pack	18
410-2000	SureFit™ Dual Dispersive Electrode with 10' (3.05m) Cable; Single Use	18
410-2100	SureFit™ Dual Dispersive Electrode with 15' (4.57m) Cable; Single Use	18
410-2200	SureFit™ Dual Dispersive Electrode without Cable; Single Use; Re-sealable 5-Pack	18
410-2400	SureFit™ Dual Dispersive Electrode without Cable; Single Use	18
425-2200	MacroLyte® Pediatric Single Dispersive Electrode with 10' (3.05m) Cable; Single Use	18
425-2508	MacroLyte® Pediatric Dual Dispersive Electrode with 10' (3.05m) Cable; Single Use	18
425-2725	MacroLyte® Pediatric Single Dispersive Electrode without Cable; Single Use	18
425-2801	MacroLyte® Pediatric Dual Dispersive Electrode without Cable; Single Use	18
440-2400	MacroLyte® Premie Single Dispersive Electrode with 10' (3.05m) Cable; Single Use	18
450-2300	MacroLyte® Infant Dispersive Electrode with 10' (3.05m) Cable; Single Use	18
51-7310	ThermoGard® Adult Dual Dispersive Electrode with 10' (3.05m) Cable; Single Use	19
51-7410	ThermoGard® Adult Dual Dispersive Electrode without Cable; Single Use	19
51-7710	ThermoGard® Pediatric Dispersive Electrode with 10' (3.05m) Cable; Single Use	19
51-7810	ThermoGard® Adult Single Dispersive Electrode with 10' (3.05m) Cable; Single Use	19
51-7910	ThermoGard® Pediatric Single Dispersive Electrode with 10' (3.05m) Cable; Single Use	19
60-0136-001	Adult Patient Plate, Stainless Steel; 63 sq. in. (406.476 sq cm); Reusable	20

Product No.	Product Description	Page #
60-0136-002	Pediatric Patient Plate, Stainless Steel, 35 sq. in. (225.82 sq cm); Reusable	20
60-0137-001	Cable for Reusable Dispersive Electrodes; 10' (3.05m) Cable; Reusable	20
60-0235-001	Safety Holster; Reusable	13
60-0300-501	Hand-Trol® Hand Control Electrosurgical Pencil with Blade Electrode, Safety Holster and 10' (3.05m) Cable	12
60-0300-515	Hand-Trol® Hand Control Electrosurgical Pencil with Blade Electrode, Safety Holster and 15' (4.57m) Cable	12
60-0300-551	Hand-Trol® Hand Control Electrosurgical Pencil with UltraClean® Blade Electrode, Safety Holster and 10' (3.05m) Cable	12
60-0300-555	Hand-Trol® Hand Control Electrosurgical Pencil with UltraClean® Blade Electrode, Safety Holster and 15' (4.57m) Cable	12
60-0629-001	6" (152mm) Blade; Reusable	16
60-0641-001	ASPENGEL Conductive Gel, Nonstaining, 8.45 fluid oz.	20
60-0810-001	Hand Control Monopolar Forceps; Bayonet; Straight Tip with Cable; 6-1/4" (15.9cm), 2.0mm Tip	29
60-0812-001	Hand Control Monopolar Forceps; Bayonet; Straight Tip with Cable; 8" (20.3cm), 2.0mm Tip	29
60-0815-001	Foot Control Electrosurgical Pencil with 10' (3.05m) Cable; Reusable	13
60-0816-001	TUR Cable with Standard (Bovie #12) Plug; Monopolar; Reusable	32
60-0817-001	Foot Control Monopolar Forceps; Bayonet; Straight Tip with Cable; 7 1/2" (19.1cm), 2.0mm Tip	29
60-0819-001	Foot Control Monopolar Forceps; Bayonet; Straight Tip with Cable; 8 1/4" (21.0cm), 2.0mm Tip	29
60-0821-001	Foot Control Monopolar Forceps; Potts-Smith; Straight Tip with Cable; 7 1/2" (19.1cm), 2.0mm Tip	29
60-0823-001	Adapter for Foot Control Monopolar Accessories; Fits Bovie #12 Type Output Sockets	30
60-0824-001	Cable with Threaded Male Connector for Reusable Monopolar Forceps and Suction Coagulator; 10' (3.05m)	32
60-0845-001	Cable for Reusable Footswitching Bipolar Forceps; 12' (3.66m)	32
60-0860-001	Needle Electrode, Fine with Hex Hub; Reusable	16
60-0861-001	Needle Electrode, Coarse with Hex Hub; Reusable	16
60-0862-001	Needle Electrode, Blunt with Hex Hub; Reusable	16
60-0867-001	Round Loop Electrode, 3/8" (9.62mm) diameter; Reusable	16
60-0869-001	1" Straight Blade with Hex Hub; Reusable	16
60-1650-001	Bipolar Footswitch, Single Treadle	8
60-1765-001	Foot Control Bipolar Forceps; Scoville-Greenwood Bayonet; Insulated; 7-3/4" (19.7cm), 1.5mm Tip	28
60-1766-001	Foot Control Bipolar Forceps; Jewelers Micro-Tip; Curved; Insulated; 4-1/4" (10.8cm), 0.4mm Tip	28
60-1767-001	Foot Control Bipolar Forceps; Jewelers Micro-Tip; Straight; Insulated; 4" (10.2cm), 0.4mm Tip	28
60-1768-001	Foot Control Bipolar Forceps; Adson, Straight; Insulated; 4-3/4" (12.1cm), 1.0mm Tip	28
60-1769-001	Foot Control Bipolar Forceps; Cushing Bayonet; Micro-Tip; Insulated; 7-1/2" (19.1cm), 0.7mm Tip	28
60-1770-001	Foot Control Bipolar Forceps; Hardy; Bayonet; Micro-Tip with Stops; Uninsulated; 8-1/2" (21.6cm), 0.5mm Tip	28
60-1771-001	Foot Control Bipolar Forceps; Semkin; Micro-Tip with Stops; Uninsulated; 5-1/2" (14.0cm), 0.7mm Tip	28
60-1772-001	Foot Control Bipolar Forceps; Semkin; Straight; Insulated; 6" (15.2cm), 1.5mm Tip	28
60-1773-001	Foot Control Bipolar Forceps; Straight Iris, Insulated; 3-1/2" (8.9cm), 0.4mm Tip	28
60-1774-001	Foot Control Bipolar Forceps; Curved Iris; Insulated; 3-1/2" (8.9cm), 0.5mm Tip	28
60-2121-001	Disposable Monopolar TUR/Endoscopic Cable for ACMI; 10' (3.05m); Sterile	31
60-2450-120	System 2450™ ESU, 120V	5
60-2450-220	System 2450™ ESU, 220V	5
60-2450-230	System 2450™ ESU, 230V	5
60-2451-ENG	System 2450™ Operator's Manual	7
60-2453-001	System 2450™ In-Service CD	7
60-2454-ENG	System 2450™ Service Manual	7
60-2800-501	Hand-Trol® Hand Control Electrosurgical Pencil with Blade Electrode, Safety Holster, Tip Cleaner and 10' (3.05m) Cable	12
60-5102-002	Disposable Footswitching Bipolar Cable; 10' (3.05m); Reusable	31
60-5103-001	Bipolar Footswitch, Omni-Directional, 10' Cable	8
60-5103-002	Bipolar Footswitch, Omni-Directional, 15' Cable	8
60-5104-001	Monopolar Footswitch, Full Size, 10' Cable	8
60-5104-003	Monopolar Footswitch, Full Size, 15' Cable	8
60-5120-001	Hand Control Bipolar Forceps; Cushing Bayonet; Uninsulated; Handswitching; 7-1/2" (19.1cm), 0.7mm Tip	29
60-5121-001	Hand Control Bipolar Forceps; Scoville-Greenwood Bayonet; Insulated; Handswitching; 7-3/4" (19.7cm), 1.5mm Tip	29
60-5122-001	Hand Control Bipolar Forceps; Jeweler's Straight Tip; Insulated; Handswitching; 4" (10.2cm), 0.4mm Tip	29
60-5123-001	Hand Control Bipolar Forceps; Semkin; Micro-Tip; Insulated; Handswitching; 5-1/2" (14.0cm), 0.7mm Tip	29
60-5130-001	Bipolar Forceps Cable for Handswitching Bipolar Forceps; Reusable	32
60-5132-001	Bipolar Forceps Cable for Handswitching Bipolar Forceps; Reusable	32
60-5180-101	Loop Excision Electrode; "T" Style; 12x8mm; Single Use	15
60-5180-102	Loop Excision Electrode; "T" Style; 15x10mm; Single Use	15
60-5180-104	Loop Excision Electrode; "T" Style; 20x10mm; Single Use	15

# Numerical Index



Product No.	Product Description	Page #
60-5181-101	Ball Electrode, 2mm diameter; 10cm shaft; Single Use	15
60-5181-102	Ball Electrode, 3mm diameter; 10cm shaft; Single Use	15
60-5181-103	Ball Electrode, 5mm diameter; 10cm shaft; Single Use	15
60-5480-001	Universal ESU Cart, Assembled	6
60-5480-002	Universal ESU Cart, Unassembled	6
60-5678-001	ESU Cart Footswitch Basket	27
60-5806-001	Cable for Reusable Dispersive Electrodes; 10' (3.05m); Reusable	20
60-5902-001	Filter, AspenVAC	25
60-6700-001	Monopolar Footswitch, Low Profile	8
60-6790-001	Universal Adapter for foot control monopolar accessories; fits Bovie #12 type output sockets	30
60-6805-001	Smoke Evacuation Tubing, Handheld	26
60-6810-001	Laparoscopic Smoke Evacuation Tubing Set	26
60-6815-001	Leep Non-Sterile Tubing Set	26
60-6827-001A	ClearVac® Pencil Smoke Attachment	26
60-6828-001A	ClearVac® Smoke Evacuation Tubing with Push Button Pencil	26
60-6828-005A	ClearVac® Smoke Evacuation Tubing with Push Button Pencil and UltraClean® Electrode	26
60-6829-001A	ClearVac® Smoke Evacuation Tubing with Rocker Switch Pencil	26
60-6829-005A	ClearVac® Smoke Evacuation Tubing with Rocker Switch Pencil and UltraClean® Electrode	26
60-6839-001A	ClearVac® Smoke Attachment with Extension Tubing	26
60-6840-001	Tube Reducer, 7/8" to 1/4"	27
60-6841-001	Tube Reducer, 1-3/8" to 7/8"	27
60-6875-001	Filter, ConMed® 1000 SES	25
60-6963-001	System 2450™ Stacking Adapter	5
60-7152-001	System 2450™ Cart	5
60-7400-001	Foot Control Bipolar Forceps; Bayonet, Straight tip; Insulated, 20cm, 2.0mm tip	28
60-7401-001	Foot Control Bipolar Forceps; Bayonet, Straight tip; Insulated, 20cm, 1.0mm tip	28
60-7402-001	Foot Control Bipolar Forceps; Bayonet, Straight tip; Insulated, 22cm, 0.5mm tip	28
60-7403-001	Foot Control Bipolar Forceps; Jewelers, Straight tip; Insulated, 11cm, 0.5mm tip	28
60-7404-001	Foot Control Bipolar Forceps; Adson, Straight tip; Insulated, 13cm, 1.0mm tip	28
60-7405-001	Foot Control Bipolar Forceps; Straight; Insulated, 14cm, 2.0mm tip	28
60-7501-ENG	System 7500® Operator's Manual	7
60-7502-ENG	System 7500® Service Manual	7
60-7507-001	GoldVac™ Adapter for Valleylab™ and Buffalo Filter®; Single Use	27
60-7508-001	GoldVac™ Adapter for IC Medical, and MegaDyne; Reusable	27
60-7509-001	Goldvac™ Adapter for Stryker® Neptune® 2	27
60-7510-005	GoldVac™ Push Button Integrated Smoke Pencil; 10' (3.05m) Tubing	25
60-7520-005	GoldVac™ Rocker Switch Integrated Smoke Pencil; 10' (3.05m) Tubing	25
60-7521-001	1" GoldVac™ UltraClean® Blade with Extended Insulation	25
60-7522-001	4" GoldVac™ UltraClean® Blade with Extended Insulation	25
60-7523-001	6" GoldVac™ UltraClean® Blade with Extended Insulation	25
60-7524-001	4" GoldVac™ UltraClean® Blade with Extended Insulation	25
60-7526-001	6" GoldVac™ UltraClean® Blade with Extended Insulation	25
60-7530-005	GoldVac™ Foot Control Integrated Smoke Pencil; 10' (3.05m) Tubing	25
60-7550-120	System 7550™ ABC ESU, 110V	6
60-7550-230	System 7550™ ABC ESU, 230V	6
60-7551-ENG	System 7550™ Operator's Manual	7
60-7552-ENG	System 7550™ Service Manual	7
60-7570-005	GoldVac™ Push Button Integrated Smoke Pencil; 15' (4.57m) Tubing	25
60-7580-005	GoldVac™ Rocker Switch Integrated Smoke Pencil; 15' (4.57m) Tubing	25
60-8005-001	System 5000™ ESU, 120V	4
60-8005-002	System 5000™ ESU, 100-240V, Symbols	4
60-8005-003	System 5000™ ESU, 100-240V, English	4
60-8005-SYS	System 5000™ System, 120V	4
60-8005-SYS-VAC	System 5000™ Total System, 120V	4
60-8015-SYS	System 5000™ System, 100-240V, Symbols	4
60-8016-ENG	System 5000™ Operator's Manual	7
60-8017-ENG	System 5000™ Service Manual	7

Product No.	Product Description	Page #
60-8018-SYS	System 5000™ System, 100-240V, English	4
60-8026-001	System 5000™ In-Service CD	7
60-8026-DVD	System 5000™ In-Service DVD	7
60-8030-001	System 5000™ Stacking Adapter	5
60-8031-001	System 5000™ Dual Dispersive Electrode Adapter	22
60-8034-001	Bipolar Footswitch, Low Profile	8
60-8040-001	System 5000™ Mobile Pedestal	5
60-8041-001	Mobile Pedestal Footswitch Basket	27
60-8051-ENG	System 1200™ Operator's Manual	27
60-8052-ENG	System 1200™ Service Manual	27
60-8054-001	Y Adapter for ClearVac®	27
60-8055-001	SmartFilter®, System 1200™	25
60-8056-001	Vacuum Control Assembly for AER DEFENSE™ and System 1200™	27
60-8057-001	Pneumatic footswitch for System 1200™	27
60-8058-001	Interconnect cable between System 1200™ and System 5000™	27
60-8062-001	Remote Switch Activator for System 1200™, 4' Cable	27
60-8062-002	Remote Switch Activator for System 1200™, 10' Cable	27
60-8080-120	AER DEFENSE™ Smoke Evacuator, 100V-120V	24
60-8080-230	AER DEFENSE™ Smoke Evacuator, 220V-240V	24
60-8081-ENG	AER DEFENSE™ Operator's Manual	24
60-8082-ENG	AER DEFENSE™ Service Manual	24
60-8083-001	AER DEFENSE™ Pneumatic Footswitch	24
60-8084-001	AER DEFENSE™ FilterOne™ ULPA Rated Filter	24, 25
60-8200-120	Sabre Genesis™ ESU, 100-120V	6
60-8200-230	Sabre Genesis™ ESU, 100-240V	6
60-8201-ENG	Sabre Genesis™ Operator's Manual	7
60-8202-ENG	Sabre Genesis™ Service Manual	7
60-8206-001	Sabre Genesis™ In-Service CD	7
60-9500-120	ALTRUS® Thermal Tissue Fusion System Energy Source	9
60-9510-001	ALTRUS® 10mm, 16cm shaft handpiece	9
60-9511-001	ALTRUS® 10mm, 23cm shaft handpiece	9
60-9512-001	ALTRUS® 10mm, 36cm shaft handpiece	9
60-9520-001	ALTRUS® 5mm, 16cm shaft handpiece	9
60-9521-001	ALTRUS® 5mm, 23cm shaft handpiece	9
60-9522-001	ALTRUS® 5mm, 36cm shaft handpiece	9
60-9540-001	ALTRUS® Cart with Energy Source adapter plate	9
60-9541-001	ALTRUS® Stacking Adapter for System 5000™ ESU	9
60-9542-001	ALTRUS® Energy Source adapter plate for System 5000™ cart	9
60-9544-ENG	ALTRUS® Thermal Tissue Fusion System Service Manual-English	9
60-9544-FRE	ALTRUS® Thermal Tissue Fusion System Service Manual-French	9
60-9544-GER	ALTRUS® Thermal Tissue Fusion System Service Manual-German	9
60-9544-ITA	ALTRUS® Thermal Tissue Fusion System Service Manual-Italian	9
60-9544-SPN	ALTRUS® Thermal Tissue Fusion System Service Manual-Spanish	9
62-5626-004	AER DEFENSE™ 4' ESU Activation Cable	24
62-5626-005	AER DEFENSE™ 10' ESU Activation Cable	24
62-5862-001	AER DEFENSE™ AC Power Cord	24
62-7878-001	AER DEFENSE™ Adapter Cable	24
7-382	ThermoGard® Plus ABC® Adult Dual Dispersive Electrode	11, 19
7-383	ThermoGard® Plus ABC® Pediatric Dual Dispersive Electrode	11, 19
7-384	ThermoGard® Plus ABC® Adult Single Dispersive Electrode with 10' (3.05m) Cable; Single Use	11, 19
A-238	Dispersive Electrode Adapter. Allows ConMed ABC generators to use Valleylab dual-foil dispersive electrodes	23
B204	Dispersive Electrode Adapter for use with Valleylab Generators without REM; Wallach Leep 100	22
B205	Dispersive Electrode Adapter for use with Aspen Labs, Birtcher 3000,4400; Davol/Bard/Birtcher 5000 without PSS	22
B210	Dispersive Electrode Adapter for use with Erbe and Elmed generators	22
B227	Dispersive Electrode Adapter for use with Ritter Bovie Specialist	23
B260	Dispersive Electrode Adapter for use with Olympus S-P cables--retrofit with ConMed Adapter	23
B261	Dispersive Electrode Adapter for use with Olympus S-P cables--retrofit with Aspen Adapter	23



# Numerical Index



Product No.	Product Description	Page #
CD12473	System 7500™ / 7550™ In-Service CD	7
QI-2301	Reusable Footswitching Bipolar Forceps Cable, 10' (3.05m)	32
T210	Reusable Cable for use with Erbe and Elmed generators, 10' (3.05m)	21
T228	Reusable Cable for Single Dispersive Electrodes and Non-CQM/REM ConMed® and Valleylab® Generators; 10' (3.05m)	21
T229	Reusable Cable for All ARM-Equipped and Valleylab® REM-Equipped Generators; 10' (3.05m)	21
T229-5M	Reusable Cable for ConMed® Dispersive Electrodes; 15' (4.57m)	21
T235	Reusable Cable for ConMed® Dispersive Electrodes; 10' (3.05m)	21
T238	Reusable Cable for ConMed® Dispersive Electrodes; 10' (3.05m)	21



# ConMed Electrosurgery

## 2013-2014 Product Catalog

525 French Road

Utica, NY 13502

Local 315-797-8375

Toll Free 800-448-6506

ConMed.com

info@mail.conmed.com