



## Advanced Wound Care

Helping you protect, manage and treat the wound care needs of your patients




At Cardinal Health, we are committed to providing quality products to help improve patient care. Our Advanced Wound Care portfolio allows you to effectively manage wound treatment across the continuum of care.

Cardinal Health offers a comprehensive Advanced Wound Care portfolio, that provides you with cost-effective opportunities on the wound care products you use every day. With an intuitive packaging design and color coding system, we're helping to reduce time in locating the products you need — so you have them right when you need them.

# Contents

Packaging design	3
User-friendly icons and color coding	4
Reinforced Gelling Fiber	5
Reinforced Gelling Fiber +Ag	6
Hydrocolloid	7
Hydrocolloid Thin	8
Silicone Foam Lite	9
Silicone Foam	10
Silicone Bordered Foam Lite	11
Silicone Bordered Foam	12
Silicone Contact Layer	13
Petrolatum Emulsion Contact Layer	14
Compression Bandage System	15–16
Transparent Dressings	17–18
Hydrogel	19
Hydrogel +Ag	20
Composite Dressings	21
Wound Cleanser	22
Primary Dressing Protocol	23
Secondary Dressing Protocol	24

# Packaging design



## Each level packaging design

Descriptive product name

Ordering information


User-friendly icons

Instructional illustrations

Indications for use

Regulatory information

## Box level packaging design



Descriptive product name

Packaging configuration

Ordering information

User-friendly icons

Directions for use with illustrations


Indications for use

Packaging configuration

Ordering information

Regulatory information

Product features




front

back

# User-friendly icons and color coding


## Type of dressing



## Change frequency



## Exudate amount



## Other



## Color coding

Reinforced Gelling Fibers	
Hydrocolloids	
Silicone Foams	
Contact Layers	
Composite Dressings	
Hydrogels	
Antimicrobial / +Ag	
Wound Cleansers	

# Reinforced Gelling Fibers



**Product description:** Cardinal Health™ Reinforced Gelling Fiber dressings are sterile, non-woven calcium/sodium alginates consisting of a high M alginate in a cohesive fiber construction. As wound fluid is absorbed, the alginate forms a gel, which assists in maintaining a moist environment for optimal wound healing and the formation of granulation tissue.

- **Highly absorbent gelling fibers** wick and retain exudate away from the wound bed
- **Cohesive fiber construction** facilitates easy intact/one-piece atraumatic removal

**Indications:** May be used for the management of moderate to heavy exuding, partial to full thickness wounds, including:

- Pressure ulcers
- Graft and donor site
- Venous, arterial and diabetic ulcers
- Post-operative surgical wounds
- Lacerations and abrasions
- Cavity wounds
- Trauma wounds
- Superficial and partial thickness burns

Can also be used to control minor bleeding in superficial wounds.

**Contraindications:** Dry eschar, third-degree burns, surgical implantation, heavy bleeding and individuals with known sensitivity to alginates.

Type of dressing		Primary Dressing
Change frequency		Up to 7 days
Exudate amount		Moderate to Heavy
Other		May be used on deep/cavity wounds
		Refer to Instructions for Use

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>RGFBROPE</b>	Reinforced Gelling Fiber 0.75 x 18 in. Rope	5 ea/bx, 10 bx/cs, 50 ea/cs	A6199
<b>RGFB22</b>	Reinforced Gelling Fiber 2 x 2 in.	10 ea/bx, 10 bx/cs, 100 ea/cs	A6196
<b>RGFB45</b>	Reinforced Gelling Fiber 4 x 4.75 in.	10 ea/bx, 10 bx/cs, 100 ea/cs	A6197
<b>RGFB66</b>	Reinforced Gelling Fiber 6 x 6 in.	5 ea/bx, 10 bx/cs, 50 ea/cs	A6197

# Reinforced Gelling Fiber +Ag

**Product description:** Cardinal Health™ Reinforced Gelling Fiber +Ag dressings are sterile, reinforced non-woven pads composed of a high G (guluronic acid) calcium alginate, carboxymethylcellulose (CMC) and ionic silver complex (silver sodium hydrogen zirconium phosphate), which release silver ions in the presence of wound fluid. As wound fluid is absorbed, the alginate forms a gel which assists in maintaining a moist environment for optimal wound healing.

- **Silver ions** protect the dressing from a broad spectrum of microorganisms over a period of up to fourteen (14) days, based on *in-vitro* testing
- **Highly absorbent gelling fibers** wick and retain exudate away from the wound bed
- **Cohesive fiber construction** facilitates easy intact/one-piece atraumatic removal
- **Odor reduction** results from the antibacterial effect in the dressing

**Indications:** Under the medical supervision of a healthcare professional for the management of moderate to heavy exuding, partial to full thickness wounds, including:

- Pressure ulcers
- Leg ulcers
- Diabetic ulcers
- Post-operative surgical wounds
- First- and second-degree burns
- Graft and donor sites
- Trauma wounds (dermal lesions, trauma injuries or incisions)

**Contraindications:** Dry eschar, third-degree burns, direct application on dry or lightly exuding wounds, to control heavy bleeding and individuals with known sensitivity to alginates and/or silver.



- Type of dressing  Primary Dressing
- Change frequency  Up to 7 days
- Exudate amount  Moderate to Heavy
- Other  May be used on deep/cavity wounds



R<sub>x</sub> ONLY

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>RGFBROPEAG</b>	Reinforced Gelling Fiber +Ag .75 x 18 in. Rope	5 ea/bx, 10 bx/cs, 50 ea/cs	A6199
<b>RGFB22AG</b>	Reinforced Gelling Fiber +Ag 2 x 2 in.	10 ea/bx, 10 bx/cs, 100 ea/cs	A6196
<b>RGFB45AG</b>	Reinforced Gelling Fiber +Ag 4 x 4.75 in.	10 ea/bx, 10 bx/cs, 100 ea/cs	A6197
<b>RGFB66AG</b>	Reinforced Gelling Fiber +Ag 6 x 6 in.	5 ea/bx, 10 bx/cs, 50 ea/cs	A6197
<b>RGFB812AG</b>	Reinforced Gelling Fiber +Ag 8 x 12 in.	5 ea/bx, 10 bx/cs, 50 ea/cs	A6198

# Hydrocolloids



**Product description:** Cardinal Health™ Hydrocolloid dressings help facilitate local wound healing. The dressing absorbs wound exudate and creates a moist environment which supports the body's healing process and aids in the removal of nonviable tissue from the wound (autolytic debridement), without damaging new tissue.

Cardinal Health™ Hydrocolloid dressings consist of a wound contact layer of hydrocolloids. The top layer is a semi-permeable, polyurethane film backing, which allows for circulation of O<sub>2</sub>, CO<sub>2</sub> and water vapor, while excluding germs and water to protect the wound from external contamination.

- **Proprietary gelling formulation** allows for most of the gel to be removed together with the dressing, resulting in little or no damage to the newly formed tissue
- **Flexible, low-friction film backing** reduces skin friction with clothing and patient bedding
- **Moisture-resistance** will remain in place during showering

## Indications:

- **Over the counter (OTC):** For minor scalds and burns, minor cuts, lacerations and minor abrasions
- **Under supervision of a healthcare professional:** May be used for the management of light to moderately exuding partial and full thickness wounds including:
  - Pressure ulcers
  - Donor sites
  - Dermatological excisions
  - Diabetic ulcers
  - Second-degree burns
  - Surgical wounds (post-operative left to heal by secondary intent)
  - Leg ulcers (venous stasis ulcers, arterial ulcers, and leg ulcers of mixed etiology)
  - Traumatic wounds (ie. skin tears and secondary healing wounds)

**Contraindications:** Third-degree burns or on individuals who are sensitive to or who have had an allergic reaction to the dressing of its components.

Type of dressing	 	Primary and Secondary Dressing
Change frequency		Up to 7 days
Exudate amount		Light to Moderate
Other		Refer to Instructions for Use

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
HC22	Hydrocolloid 2 x 2 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6234
HC44	Hydrocolloid 4 x 4 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6234
HC66	Hydrocolloid 6 x 6 in.	5 ea/bx, 16 bx/cs, 80 ea/cs	A6235
HC88	Hydrocolloid 8 x 8 in.	5 ea/bx, 16 bx/cs, 80 ea/cs	A6236
HCOVAL	Hydrocolloid 4 x 4.75 in. oval	10 ea/bx, 20 bx/cs, 200 ea/cs	A6235
HCTRI	Hydrocolloid 6 x 7 in. triangle	5 ea/bx, 16 bx/cs, 80 ea/cs	A6235

# Thin Hydrocolloids

## Product description:

- **Thin profile design** with rounded corners to help reduce dressing roll-up during product use
- **Semi-translucent film backing** allows for easier monitoring of the healing process without dressing removal

## Indications:

- **Over the counter (OTC):** For minor scalds and burns, minor cuts, lacerations and minor abrasions
- **Under supervision of a healthcare professional:** For the protection of at-risk sites of skin breakdown, Stage I pressure ulcers, management of dry to light exuding wounds, post-op protection of closed surgical sites, and post-healing skin protection

**Contraindications:** Third-degree burns or on individuals who are sensitive to or who have had an allergic reaction to the dressings or its components.



Type of dressing	 	Primary and Secondary Dressing
Change frequency		Up to 7 days
Exudate amount		Dry to Light
Other		Refer to Instructions for Use

## Ordering Information:

Cat. no.	Description	Packaging	HCPCS code
<b>HCTSPOTS</b>	Thin Hydrocolloid 1.75 x 1.5 in. oval, spots	10 ea/bx, 20 bx/cs, 200 ea/cs	A6234
<b>HCT33</b>	Thin Hydrocolloid 3 x 3 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6234
<b>HCT44</b>	Thin Hydrocolloid 4 x 4 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6234
<b>HCTOVAL</b>	Thin Hydrocolloid 4 x 4.75 in. oval	10 ea/bx, 20 bx/cs, 200 ea/cs	A6235
<b>HCT66</b>	Thin Hydrocolloid 6 x 6 in.	5 ea/bx, 16 bx/cs, 80 ea/cs	A6235

# Silicone Foams Lite



Type of dressing		Primary Dressing
Change frequency		Up to 7 days
Exudate amount		Dry to Light
Other		Refer to Instructions for Use

**Product description:** Cardinal Health™ Silicone Foam Lite dressings are sterile, foam dressings made with an absorbent thin foam pad, protective film backing and gentle silicone adhesive. The dressings are used to protect and absorb exudate from the wound, which helps facilitate a moist environment and may promote healing.

**Indications:** May be used for the management of dry to light exuding, partial to full thickness wounds, including:

- Pressure ulcers
- Traumatic wounds
- Venous, arterial and diabetic ulcers
- Lacerations and abrasions
- Finger injuries
- Blisters
- Partial thickness burns
- Epidermolysis bullosa
- Painful wounds
- Radiation skin reactions

Can also be used to provide protection of compromised and/or fragile skin.

**Contraindications:** Third-degree burns and lesions with active vasculitis.

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>FM23LTE</b>	Silicone Foam Lite 2.4 x 3.4 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6209
<b>FM44LTE</b>	Silicone Foam Lite 4 x 4 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6209
<b>FM66LTE</b>	Silicone Foam Lite 6 x 6 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6210
<b>FM820LTE</b>	Silicone Foam Lite 8 x 20 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6211

# Silicone Foams

**Product description:** Cardinal Health™ Silicone Foam dressings are sterile, foam dressings made with a highly absorbent foam pad, protective film backing and gentle silicone adhesive. The dressings are used to protect and absorb exudate from the wound, which helps facilitate a moist environment and may promote healing.

**Indications:** May be used for the management of moderately exuding, partial to full thickness wounds, including:

- Pressure ulcers
- Post-operative surgical wounds
- Traumatic wounds (eg. skin tears and secondary healing wounds)
- Diabetic, venous and arterial ulcers
- Graft and donor sites

**Silicone Foam Heel (FMHEEL)** may be used for the management of moderate to heavy exuding, partial to full thickness wounds on the heel.

**Non-Adhesive Foam Tracheostomy (FMTRACH)** may be used for the management of fluid, secretion or exudate build-up for the peristomal area created by tracheostomy tubes, other drains and tubes.

**Contraindications:** Third-degree burns and lesions with active vasculitis.



Type of dressing		Primary Dressing
Change frequency		Up to 7 days
Exudate amount		Moderate
Other		

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>FM44</b>	Silicone Foam 4 x 4 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6209
<b>FM48</b>	Silicone Foam 4 x 8 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6210
<b>FM66</b>	Silicone Foam 6 x 6 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6210
<b>FM88</b>	Silicone Foam 8 x 8 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6211
<b>FMHEEL</b>	Silicone Foam Heel 4.5 x 5.5 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6210
<b>FMTRACH</b>	Non-Adhesive Foam Tracheostomy 3.5 x 3.5 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6209

# Silicone Bordered Foams Lite



**Product description:** Cardinal Health™ Silicone Bordered Foam Lite dressings are sterile, foam dressings made with an absorbent thin foam pad, protective film backing, gentle silicone adhesive and secure border. The dressings are used to protect and absorb exudate from the wound, which helps facilitate a moist environment and may promote healing.

**Indications:** May be used for the management of dry to light exuding, partial to full thickness wounds, including:

- Finger injuries
- Traumatic wounds
- Blisters
- Venous, arterial and diabetic ulcers
- Partial thickness burns
- Lacerations and abrasions
- Epidermolysis bullosa

Can also be used to provide protection of compromised and/or fragile skin.

**Contraindications:** Third-degree burns and lesions with active vasculitis.

Type of dressing		Primary and Secondary Dressing
Change frequency		Up to 7 days
Exudate amount		Dry to Light
Other		Refer to Instructions for Use

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>BFM22LTE</b>	Silicone Bordered Foam Lite 1.6 x 2 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6212
<b>BFM25LTE</b>	Silicone Bordered Foam Lite 2 x 5 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6212
<b>BFM33LTE</b>	Silicone Bordered Foam Lite 3 x 3 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6212
<b>BFM44LTE</b>	Silicone Bordered Foam Lite 4 x 4 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6212
<b>BFM66LTE</b>	Silicone Bordered Foam Lite 6 x 6 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6213

# Silicone Bordered Foams

**Product description:** Cardinal Health™ Silicone Bordered Foam dressings are sterile, foam dressings made with a highly absorbent foam pad, protective film backing, gentle silicone adhesive and secure border. The dressings are used to protect and absorb exudate from the wound, which helps facilitate a moist environment and may promote healing.

**Indications:** May be used for the management of moderate to heavy exuding, partial to full thickness wounds, including:

- Pressure ulcers
- Diabetic, venous and arterial ulcers
- Post-operative surgical wounds
- Graft and donor sites
- Traumatic wounds (eg. skin tears, road rash and minor injuries)
- Lacerations and abrasions

**Contraindications:** Third-degree burns and lesions with active vasculitis.



Type of dressing	 	Primary and Secondary Dressing
Change frequency		Up to 7 days
Exudate amount		Moderate to Heavy
Other		Refer to Instructions for Use

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>BFM33</b>	Silicone Bordered Foam 3 x 3 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6212
<b>BFM44</b>	Silicone Bordered Foam 4 x 4 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6212
<b>BFM48</b>	Silicone Bordered Foam 4 x 8 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6212
<b>BFM410</b>	Silicone Bordered Foam 4 x 10 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6213
<b>BFM412</b>	Silicone Bordered Foam 4 x 12 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6213
<b>BFM66</b>	Silicone Bordered Foam 6 x 6 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6213
<b>BFM68</b>	Silicone Bordered Foam 6 x 8 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6213
<b>BFMSMSCRL</b>	Silicone Bordered Foam 7.2 x 7.2 in. sacral	5 ea/bx, 5 bx/cs, 25 ea/cs	A6213
<b>BFMLGSCRL</b>	Silicone Bordered Foam 9.2 x 9.2 in. sacral	5 ea/bx, 5 bx/cs, 25 ea/cs	A6213

# Silicone Contact Layers



Type of dressing		Primary Dressing
Change frequency		Up to 7 days
Other		Refer to Instructions for Use

**Product description:** Cardinal Health™ Silicone Contact Layer dressings are sterile, occlusive wound dressings made with a conformable, open mesh structure and gentle silicone adhesive. The dressings are used to facilitate fluid transfer and provide fixation and protection to the wound bed during dressing changes.

**Indications:** May be used to allow passage of exudate and provide fixation and protection of the wound bed during dressing changes for a wide variety of partial to full thickness wounds, including:

- Skin tears
- Venous ulcers
- Surgical and trauma wounds
- First- and second-degree burns
- Blisters, cuts and lacerations
- Dry to heavily draining abrasions
- Pressure ulcers

**Contraindications:** Third-degree burns and individuals with known sensitivity to silicone. Not for surgical implantation.

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>SCL23</b>	Silicone Contact Layer 2 x 3 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6206
<b>SCL34</b>	Silicone Contact Layer 3 x 4 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6206
<b>SCL47</b>	Silicone Contact Layer 4 x 7 in.	10 ea/bx, 5 bx/cs, 50 ea/cs	A6207
<b>SCL812</b>	Silicone Contact Layer 8 x 12 in.	5 ea/bx, 5 bx/cs, 25 ea/cs	A6208

# Petrolatum Emulsion Contact Layer

**Product description:** Cardinal Health™ Petrolatum Emulsion Contact Layer dressings are sterile, occlusive wound dressings made with a flexible, non-adherent knitted cellulose acetate fabric coated with a formulated petrolatum emulsion. The dressings are used to help aid fluid transfer into the secondary dressing. The non-adherent property of the dressing helps to facilitate atraumatic removal by providing protection to the wound bed during dressing changes.

**Indications:** May be used to allow passage of exudate and protection of the wound bed during dressing changes for a wide variety of partial to full thickness wounds, including:

- Skin grafts
- Venous ulcers
- Surgical sites
- First- and second-degree burns
- Pressure ulcers
- Lacerations and abrasions
- Cosmetic surgery sites



- Type of dressing  Primary Dressing
- Change frequency  Up to 7 days
- Other  Refer to Instructions for Use

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>PETROCL33</b>	Petrolatum Emulsion Contact Layer 3 x 3 in.	50 ea/bx, 12 bx/cs, 600 ea/cs	A6222
<b>PETROCL38</b>	Petrolatum Emulsion Contact Layer 3 x 8 in.	24 ea/bx, 6 bx/cs, 144 ea/cs	A6223
<b>PETROCL316</b>	Petrolatum Emulsion Contact Layer 3 x 16 in.	36 ea/bx, 6 bx/cs, 216 ea/cs	A6223

# Three-Layer Compression Bandage System



**#4 Self-Adherent Cohesive Bandage** applies compression and safely maintains the system in place for up to one week

**#1 Absorbent Padding Bandage** helps absorb exudate and protect bony prominences

**#2 Conformable Bandage** helps absorb exudate and helps prepare and sculpt the leg for application of pressure

**Product description:** A multi-layer compression bandage system that provides reduced compression from the Cardinal Health™ Four-Layer Compression Bandage System. It is developed for the treatment of mixed etiology leg ulcers where some degree of arterial impairment prevents the use of full compression. For Ankle Brachial Index (ABI) >0.6.

- Maintains effective compression after application
- Provides higher pressure at the ankle, decreasing pressure at the calf to help improve upward blood flow
- May be left in place for up to one week
- Not made with natural rubber latex
- Clean, quick and easy hand-tear
- Won't stick to skin, hair or clothing

**Indications:** May be used for the treatment of mixed etiology leg ulcers.

**Contraindications:** Do not use on patients with an Ankle Brachial Index (ABI) of less than 0.6 or on diabetic patients with advanced small vessel disease. Diabetics may have a false ABI due to calcification of peripheral arterial vessels. Always assess diabetics with additional clinical measures.

Change frequency  Up to 7 days

Other 

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>CAHMLCB3</b>	Three-Layer Compression Bandage System	8 bx/cs	
	Roll 1 — Absorbent Padding Bandage	10cm x 3.5m unstretched	A6441
	Roll 2 — Conformable Bandage	10cm x 2.9m unstretched	A6443
	Roll 4 — Self-Adherent Cohesive Bandage	10cm x 2.5m unstretched	A6454

# Four-Layer Compression Bandage System

**Product description:** A multi-layer compression bandage system used for the treatment of venous leg ulcers and related conditions. Ideal for patients with ankle circumferences greater than 18cm or 7/8 in. (padded) who have an ABI >0.8.

- Maintains effective compression after application
- Provides higher pressure at the ankle, decreasing pressure at the calf to help improve upward blood flow
- May be left in place for up to one week
- Not made with natural rubber latex

**Indications:** May be used for the treatment of venous leg ulcers and related conditions.

**Contraindications:** Compression bandaging system **should not be used** on patients with an Ankle Brachial Index (ABI) of less than 0.8. An ABI of less than 0.8 may mean that the patient has arterial insufficiency and that the ulcer may not be simply a venostasis ulcer. Compression bandaging of a leg which already has a partially blocked blood supply could completely stop the flow of blood into the leg and lead to the death of the skin and muscle of the leg. Death of the muscle and skin of the leg could lead to further complications and possibly amputation of the leg.



**#3 Compression Bandage** provides light compression and is highly conformable to accommodate limb shapes

**#1 Absorbent Padding Bandage** helps absorb exudate and protect bony prominences

**#4 Self-Adherent Cohesive Bandage** applies compression and safely maintains the system in place for up to one week

- Clean, quick and easy hand-tear
- Won't stick to skin, hair or clothing

**#2 Conformable Bandage** adds absorbency and smoothes out the first layer, preserving the elastic energy of the compression layers

Change frequency  Up to 7 days

Other 

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
<b>CAHMLCB4</b>	Four-Layer Compression Bandage System	8 bx/cs	
	Roll 1 — Absorbent Padding Bandage	10cm x 3.5m unstretched	A6441
	Roll 2 — Conformable Bandage	10cm x 2.9m unstretched	A6443
	Roll 3 — Compression Bandage	10cm x 2.9m unstretched	A6449
	Roll 4 — Self-Adherent Cohesive Bandage	10cm x 2.5m unstretched	A6454

# Transparent Dressings



**Product description:** Cardinal Health™ Transparent Dressings help protect the wound surface or can be used to secure catheters and IVs—providing the protection you need with the simplicity you deserve. Made of water-resistant material, but designed to conform and flex with patient movements, these transparent dressings are available in assorted shapes and sizes.

**Indications:** May be used for wound care applications, securing objects to the skin and as a secondary dressing. The moisture vapor permeability allows excess moisture to vent, while maintaining a moist wound environment conducive to healing.

- Surgical incisions
- Skin grafts and donor sites
- Stage I and II pressure ulcers
- Post tattoo application and removal
- Catheter sites
- Superficial wounds such as abrasions and skin ulcers
- IV sites
- Minor burns

Type of dressing



Primary and Secondary Dressing

Change frequency



Up to 7 days



**Safe:** Innovative, advanced design helping you provide efficient, quality patient care

- Moisture vapor permeability allows excess moisture out while maintaining a moist wound environment conducive to healing
- Flexible film conforms to the body and flexes with the skin
- Not made with natural rubber latex

**Simple:** Engineered with features that help ensure ease of use and enhance patient comfort

- Thumb tab provides for an easier application
- Transparency allows observation without removing the dressing
- Water-resistant allows for patient bathing without dressing change

**Secure:** High level of adhesion, resulting in fewer dressing changes

- Acrylic adhesive ensures securement
- Helps prevent edges from rolling
- Advanced securement with notches, tape and border, reducing tension on stitches and wounds

**Ordering information:**

Cat. no.	Description	Packaging	HCPCS code
<b>Standard — Window out style</b>			
<b>TD-22C</b>	Transparent Dressing 1.75 x 1.75 in.	100 ea/bx, 4 bx/cs, 400 ea/cs	A6257
<b>TD-24C</b>	Transparent Dressing 2.375 x 2.75 in.	100 ea/bx, 4 bx/cs, 400 ea/cs	A6257
<b>TD-26C</b>	Transparent Dressing 4 x 4.75 in.	50 ea/bx, 4 bx/cs, 200 ea/cs	A6258
<b>TD-30</b>	Transparent Dressing 4 x 4.75 in., oval	50 ea/bx, 4 bx/cs, 200 ea/cs	A6258
<b>Standard — Window in style</b>			
<b>TD-27</b>	Transparent Dressing 4 x 10 in.	20 ea/bx, 4 bx/cs, 80 ea/cs	A6258
<b>TD-28</b>	Transparent Dressing 6 x 8 in.	10 ea/bx, 8 bx/cs, 80 ea/cs	A6258
<b>TD-29</b>	Transparent Dressing 8 x 12 in.	10 ea/bx, 8 bx/cs, 80 ea/cs	A6259
<b>First Aid style</b>			
<b>TD-20</b>	Transparent Dressing First Aid 2.375 x 2.75 in.	100 ea/bx, 6 bx/cs, 600 ea/cs	A6257
<b>TD-21</b>	Transparent Dressing First Aid 4 x 4.75 in.	50 ea/bx, 4 bx/cs, 200 ea/cs	A6258
<b>Advanced IV</b>			
<b>TD-10</b>	IV Transparent Dressing 2 x 2.25 in.	100 ea/bx, 4 bx/cs, 400 ea/cs	A6257
<b>TD-33</b>	IV Transparent Dressing 2.5 x 3.25 in.	100 ea/bx, 4 bx/cs, 400 ea/cs	A6257
<b>TD-35</b>	IV Transparent Dressing 3.5 x 4.25 in.	50 ea/bx, 4 bx/cs, 200 ea/cs	A6257
<b>TD-50</b>	IV Transparent Dressing 4 x 6.125 in.	25 ea/bx, 4 bx/cs, 100 ea/cs	A6258
<b>TD-55</b>	IV Transparent Dressing 3.5 x 4.5 in.	50 ea/bx, 4 bx/cs, 200 ea/cs	A6257
<b>Original border</b>			
<b>TD-14</b>	Transparent Dressing with Border 2.375 x 2.75 in.	100 ea/bx, 4 bx/cs, 400 ea/cs	A6257
<b>TD-16</b>	Transparent Dressing with Border 4 x 4.75 in.	50 ea/bx, 4 bx/cs, 200 ea/cs	A6258

# Hydrogel



**Product description:** Cardinal Health™ Hydrogel is a clean, greaseless hydrogel used for the maintenance of a moist wound environment. Excellent viscosity helps aid product application.

**Indications:** May be used partial to full thickness wounds, including:

- Pressure and stasis ulcers
- Post-operative incisions
- First- and second-degree burns
- Conditions with peristomal care
- Abrasions, cuts and lacerations
- Skin irritations

**Contraindications:** Heavily draining wounds.

Type of dressing		Primary Dressing
Exudate amount		Dry to Light
Other		Donates moisture to the wound bed
		Refer to Instructions for Use

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
HG1OZ	Hydrogel 1oz bellows tube	30 ea/cs	A6248
HG3OZ	Hydrogel 3oz	12 ea/cs	A6248

# Hydrogel +Ag

**Product description:** Cardinal Health™ Hydrogel +Ag is an opaque, amorphous hydrogel containing an antimicrobial silver compound. The antimicrobial silver compound is an effective barrier to bacterial penetration that inhibits the growth of a broad spectrum of microorganisms that come into contact with the gel. This formulation increases the moisture within the wound through water donation, which makes the gel effective in assisting the debridement and desloughing process in dry necrotic wounds, while also maintaining a moist wound environment for optimal wound healing.

**Indications:** Under the medical supervision of a healthcare professional for the management of dry to moderately, exuding partial and full thickness wounds, including:

- Pressure ulcers
- Lacerations and abrasions
- Graft and donor sites
- Diabetic ulcers
- Leg ulcers
- First- and second-degree burns
- Post-operative surgical wounds
- Trauma wounds

**Contraindications:** Do not use on patients with a known sensitivity to silver or propylene glycol.



Type of dressing		Primary Dressing
Exudate amount		Dry to Moderate
Other		Donates moisture to the wound bed
	<b>Rx ONLY</b>	

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
HG15OZAG	Hydrogel +Ag 1.5oz	10 ea/bx, 4 bx/cs, 40 ea/cs	A6248

# Composite Dressings



Type of dressing	 	Primary and Secondary Dressing
Change frequency		Up to 7 days
Exudate amount		Light
Other		Refer to Instructions for Use

**Product description:** Cardinal Health™ Composite dressings are sterile, composite dressings made with a soft non-woven fabric coated with hypoallergenic acrylic adhesive and an absorbent pad with a low adherent wound contact layer.

**Indications:** For lightly exuding superficial and non-infected wounds, including:

- Post-operative wounds
- Lacerations and abrasions
- Skin grafts and donor sites
- Minor burns and scalds

**Contraindications:** Cannot be used on full thickness wounds and burns.

## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
COMP23	Composite Dressing 2 x 3 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6254
COMP34	Composite Dressing 3.2 x 4 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6254
COMP36	Composite Dressing 3.2 x 6 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6254
COMP44	Composite Dressing 4 x 4 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6254
COMP48	Composite Dressing 4 x 8 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6254
COMP410	Composite Dressing 4 x 10 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6255
COMP412	Composite Dressing 4 x 12 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6255
COMP414	Composite Dressing 4 x 14 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6255
COMP66	Composite Dressing 6 x 6 in.	10 ea/bx, 20 bx/cs, 200 ea/cs	A6254

# Wound Cleansers

**Product description:** Cardinal Health™ Wound Cleanser is a gentle, non-irritating formulation that aids in the removal of foreign materials such as dirt and debris from wounds and skin for an effective cleansing action.

- No-rinse formula
- Non-ionic surfactant
- Two option trigger sprayer (spray or stream)
- Delivers a PSI of 9.0 at 3 inch spraying distance (which falls within AHCPR guidelines of 4 to 15 PSI)

**Indications:** May be used for the removal of foreign material, such as dirt and debris, from dermal wounds.

**Ingredients:** Purified water, poloxamer 188, sodium bicarbonate, sorbitol, citric acid, disodium EDTA, methylparaben, imidazolidinyl urea



## Ordering information:

Cat. no.	Description	Packaging	HCPCS code
WC8OZ	Wound Cleanser 8oz	12 ea/cs	A6260

# Primary Dressing Guide




Chart compilation based on product indications for use and contraindications.

# Secondary Dressing Guide




Chart compilation based on product indications for use and contraindications.





**For more information or to order**, contact your Cardinal Health sales representative today, call **877.CARDINAL** or visit **cardinalhealth.com**.



*The reimbursement information provided herein is based on published information and is intended for illustration purposes only. The information provided herein is in no way intended to provide customer with reimbursement recommendations or guidance. Customer should verify any coding, charge, and payment levels with the appropriate third party payor before seeking reimbursement.*

© 2014 Cardinal Health. All rights reserved. CARDINAL HEALTH, the Cardinal Health LOGO and ESSENTIAL TO CARE are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners. Lit. No. 2MC14-17855 (09/2014)

[cardinalhealth.com](http://cardinalhealth.com)

Cardinal Health  
Medical Consumables  
7000 Cardinal Place  
Dublin, Ohio 43017