Chairside Application Guide



4 Easy Steps:



Dry

Lightly dry the tooth surface, with air or gauze



Mix

Give the varnish a quick stir



Apply

Paint a thin, even coating on the teeth



Wipe

Wipe the brush on gauze before re-dipping (to keep the brush from getting too stiff)

End Result

Dries to a natural enamel color

colgateprofessional.com



Patient Directions after a PreviDent® Varnish Treatment

Immediately after the treatment, to achieve the maximum benefit, please follow these directions:

- For the next 6 hours, don't brush, floss or drink hot liquids.
- For the next 2 hours, eat only soft foods.

It's best to wait until tomorrow to return to your regular oral hygiene routine. If there is any of the varnish left on your teeth, brushing will take care of it. Your teeth will look and feel just like they did before treatment, but they will be protected by the fluoride varnish treatment.

Dries to a natural enamel color!

- Single-Use Design & Smooth Application
- Flavors Your Patients Will Love
- Contains Xylitol



Colgate® PreviDent® Varnish (Rx Only) 5% Sodium Fluoride

Important Safety Information: PreviDent® 5% Sodium Fluoride Varnish is a topical fluoride for the treatment of dentin and post operative sensitivity. The contraindications are ulcerative gingivitis and stomatitis. Edematous swellings and nausea have been reported only in rare instances in some fluoride varnish products, especially after application to extensive surfaces. Dyspnea, although extremely rare, has occurred in asthmatic children.

© 2018 Colgate-Palmolive Company, New York, NY 10022, USA



To Order: 1-800-2COLGATE (1-800-226-5428) to place your order with a customer-service specialist Monday-Friday, 8:30 AM to 6:30 PM ET

colgateprofessional.com

